University of Dundee

Habitual scratching amplifies and perpetuates atopic dermatitis

Staughton, R. C. D.; Bridgett, C. K.; Norén, P.; Goulding, J. M. R.; Affleck, A.; Walsh, S.

Published in:
British Journal of Dermatology

DOI:
[10.1111/bjd.19049](https://doi.org/10.1111/bjd.19049)

Publication date:
2020

Document Version
Peer reviewed version

[Link to publication in Discovery Research Portal](#)

Citation for published version (APA):
Staughton, R. C. D., Bridgett, C. K., Norén, P., Goulding, J. M. R., Affleck, A., & Walsh, S. (2020). Habitual scratching amplifies and perpetuates atopic dermatitis. *British Journal of Dermatology*, 183(2), 403.
<https://doi.org/10.1111/bjd.19049>

General rights

Copyright and moral rights for the publications made accessible in Discovery Research Portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from Discovery Research Portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain.
- You may freely distribute the URL identifying the publication in the public portal.

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

DR CHRISTOPHER BRIDGETT (Orcid ID : 0000-0003-4078-1553)

DR PETER KNUT NORÉN (Orcid ID : 0000-0002-9024-7570)

DR JONATHAN MARK RUTHVEN GOULDING (Orcid ID : 0000-0003-1310-9972)

DR ANDREW GRAEME AFFLECK (Orcid ID : 0000-0002-0385-3186)

DR SARAH WALSH (Orcid ID : 0000-0002-8279-0506)

Article type : Letter to the Editor

Corresponding Author Email ID: email@ckbridgett.com

Letter to the Editor

Habitual scratching amplifies and perpetuates atopic dermatitis

R.C.D. Staughton,¹ C.K. Bridgett,¹ P. Norén,² J.M.R. Goulding,³ A. Affleck⁴ and S. Walsh⁵

¹Department of Dermatology, Chelsea & Westminster Hospital, London, U.K.

²Department of Medical Sciences, Uppsala University, Sweden

³Department of Dermatology, Solihull Hospital, West Midlands, U.K.

⁴Department of Dermatology, Ninewells University Hospital, Dundee, U.K.

⁵Department of Dermatology, King's College Hospital, London, U.K.

This article has been accepted for publication and undergone full peer review but has not been through the copyediting, typesetting, pagination and proofreading process, which may lead to differences between this version and the [Version of Record](#). Please cite this article as [doi: 10.1111/BJD.19049](#). This article may be used for non-commercial purposes in accordance with Wiley Terms and Conditions for Self-Archiving.

This article is protected by copyright. All rights reserved

Funding sources: none.

Conflicts of interest: none to declare.

Linked article Gouin O, Misery L Br J Dermatol 2020; 182: 14-15

Dear Editor,

We were fascinated and heartened to read this very helpful commentary¹ on the study by Redhu et al² who describe some precise physico-biological pathways that link skin barrier disruption to itch in atopic dermatitis (AD). This may well explain how curtailing scratching in AD with the simple behavioural technique of habit reversal can so dramatically improve the condition³.

It is important to note that scratching in AD over time often becomes not only a response to itch, but also to both habit and mental state [see figure].

When this becomes the case, management of AD will be less than satisfactory, as scratching continues - unless all the factors driving the behaviour are adequately addressed. It was for this reason that one of us [PN] studied the effectiveness of habit reversal for habitual scratching, in combination with optimal topical treatment, for the treatment of atopic eczema in adults⁴ and together with two others [RS, CB] introduced this Combined Approach⁵ into clinical practice.

The approach can be offered in clinic by medical and nurse practitioners, in both secondary and primary care, and is available in a self-help format. It has also been demonstrated to be effective in children⁶. An annual workshop for practitioners interested in learning the approach is run by the University of Hertfordshire.

Perhaps their revealing observations¹ will wake up the dermatological world to the central role of habitual SCRATCHING in amplifying and perpetuating AD.

References

1 Gouin O, Misery L. Thymic stromal lymphopoietin, protease-activated receptor 2 and interleukin 1 are involved in the relationship between skin irritation and atopic dermatitis. *B J Dermatol* 2020; 182: 14-15.

2 Redhu D, Franke K, Kumari V et al. Thymic stromal lymphopoietin production induced by skin irritation results from concomitant activation of protease-activated receptor 2 and interleukin 1 pathways. *Br J Dermatol* 2020; 182: 119-129.

3 Tsakok T, Roberts E, Bridgett C et al. The effectiveness of habit reversal on treatment outcome and quality of life in patients with chronic eczema: a prospective observational study in the United Kingdom. *B J Dermatol* 2017; 117(2): 554-556.

4 Norén P, Melin L. The effect of combined topical steroids and habit-reversal treatment in patients with atopic dermatitis. *B J Dermatol* 1989; 121(3): 359-366.

5 Bridgett C, Norén P, Staughton RCD. *Atopic Skin Disease: A Manual for Practitioners* Bristol, PA: Wrightson Biomedical Publishing Ltd 1996 Available at <https://www.atopicskindisease.com> (27 January 2020).

6 Norén P, Hagströmer L, Alimohammadi M et al. The positive effects of habit reversal treatment of scratching in children with atopic dermatitis: a randomised controlled study. *B J Dermatol* 2018; 178(3): 665-673.