University of Dundee

Osteometric sorting of skeletal elements from a sample of modern Colombians

Rodríguez, Juan Manuel Guerrero; Hackman, Lucina; Martínez, Wendy; Medina, César Sanabria

Published in:
International Journal of Legal Medicine

DOI:
[10.1007/s00414-015-1142-1](https://doi.org/10.1007/s00414-015-1142-1)

Publication date:
2016

Document Version
Peer reviewed version

[Link to publication in Discovery Research Portal](#)

Citation for published version (APA):
Rodríguez, J. M. G., Hackman, L., Martínez, W., & Medina, C. S. (2016). Osteometric sorting of skeletal elements from a sample of modern Colombians: a pilot study. *International Journal of Legal Medicine*, 130(2), 541-550. <https://doi.org/10.1007/s00414-015-1142-1>

General rights

Copyright and moral rights for the publications made accessible in Discovery Research Portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from Discovery Research Portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain.
- You may freely distribute the URL identifying the publication in the public portal.

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

APPENDIX 1

List of variables recorded for each skeletal element

SKELETAL ELEMENT	VARIABLES
SCAPULA	Height (<i>Anatomical breadth</i>) (<i>SCH</i>) [13]
	Breadth (<i>Anatomical length</i>) (<i>SCBR</i>) [13]
	Maximum height of the glenoid (<i>MxGLH</i>) [14]
	Maximum breadth of the glenoid (<i>MxGLB</i>) [14]
HUMERUS	Maximum length (<i>HUMxL</i>) [13]
	Vertical diameter of head (<i>VDH</i>) [13]
	Anterior-posterior diameter of head (<i>APDH</i>) [14]
	Maximum diameter at midshaft (<i>HMxDM</i>) [13]
	Minimum diameter at midshaft (<i>HMnDM</i>) [13]
	Epicondylar breadth (<i>HEB</i>) [13]
RADIUS	Capitulum Trochlea Breadth (<i>CTBR</i>) [14]
	Maximum length (<i>MLRAD</i>) [13]
	Sagittal diameter at midshaft (<i>RAPD</i>) [13]
	Transverse diameter at midshaft (<i>RTRD</i>) [13]
	Maximum shaft diameter on the radial tuberosity (<i>RMxDT</i>) [4]
	Maximum diameter of radial head (<i>MDRH</i>) [4]
ULNA	Maximum length (<i>UML</i>) [13]
	Physiological length (<i>UPL</i>) [13]
	Semilunar breadth (<i>SLB</i>) [12]
	Dorso-Volar diameter (<i>UDVD</i>) [13]

	Transverse diameter (<i>UTRD</i>) [13]
	Minimum circumference (<i>UMC</i>) [13]
OS COXAE	Acetabular height (<i>ACH</i>) [15]
	Height (<i>OCH</i>) [13]
	Iliac breadth (<i>IBR</i>) [13]
FEMUR	Bicondylar length (<i>FBIL</i>) [13]
	Epicondylar breadth (<i>FEB</i>) [13]
	Maximum head diameter (<i>FHMD</i>) [13]
	Anterior-Posterior subtrochanteric diameter (<i>APSTD</i>) [13]
	Medial-Lateral subtrochanteric diameter (<i>MLSTD</i>) [13]
	Midshaft circumference (<i>FMC</i>) [13]
TIBIA	Length (<i>TLN</i>) [13]
	Maximum proximal epiphyseal breadth (<i>TMPEB</i>) [13]
	Maximum distal epiphyseal breadth (<i>TMDEB</i>) [13]
	Maximum diameter at the nutrient foramen (<i>TMDNF</i>) [13]
	Transverse diameter at the nutrient foramen (<i>TTDNF</i>) [13]
FIBULA	Maximum length (<i>FML</i>) [13]
	Maximum diameter at midshaft (<i>FMDM</i>) [13]
TALUS	Trochlear breadth (<i>TRB</i>) [16]

Table 1. List of variables recorded for each skeletal element.