



University of Dundee

The Keap1/Nrf2 pathway in health and disease

O'Connell, Maria A.; Hayes, John D.

Published in:
Biochemical Society Transactions

DOI:
[10.1042/BST20150069](https://doi.org/10.1042/BST20150069)

Publication date:
2015

Document Version
Peer reviewed version

[Link to publication in Discovery Research Portal](#)


Citation for published version (APA):
O'Connell, M. A., & Hayes, J. D. (2015). The Keap1/Nrf2 pathway in health and disease: from the bench to the clinic. *Biochemical Society Transactions*, 43(4), 687-689. <https://doi.org/10.1042/BST20150069>

General rights


Copyright and moral rights for the publications made accessible in Discovery Research Portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy


If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.




tert-butyl hydroquinone
(tBHQ)




Sulforaphane
(SFN)




phenethyl isothiocyanate
(PEITC)




1,2-dithiole-3-thione
(D3T)





pyrrolidine
dithiocarbamate
(PDTC)



2-cyano-3,12-dioxooleana-1,9-dien-
28-oic acid (CDDO)



bardoxolone methyl

A. *Keap1*^{-/-} MEFs**B.** *Keap1*^{-/-} MEFs**C.**