

## University of Dundee

### Asking different questions

Kennedy, Holly Powell; Yoshida, Sashiyo ; Costello, Anthony; Declercq, Eugene; Dias, Marcos A; Duff, Elizabeth

*Published in:*  
The Lancet Global Health

*DOI:*  
[10.1016/S2214-109X\(16\)30183-8](https://doi.org/10.1016/S2214-109X(16)30183-8)

*Publication date:*  
2016

*Licence:*  
CC BY

*Document Version*  
Publisher's PDF, also known as Version of record

[Link to publication in Discovery Research Portal](#)

#### *Citation for published version (APA):*

Kennedy, H. P., Yoshida, S., Costello, A., Declercq, E., Dias, M. A., Duff, E., Gherissi, A., Kaufman, K., McConville, F., McFadden, A., Michel-Schuldt, M., Moyo, N. T., Schuiling, K., Speciale, A. M., & Renfrew, M. J. (2016). Asking different questions: research priorities to improve the quality of care for every woman, every child. *The Lancet Global Health*, 4(11), e777-e779. Advance online publication. [https://doi.org/10.1016/S2214-109X\(16\)30183-8](https://doi.org/10.1016/S2214-109X(16)30183-8)

#### **General rights**

Copyright and moral rights for the publications made accessible in Discovery Research Portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from Discovery Research Portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain.
- You may freely distribute the URL identifying the publication in the public portal.

#### **Take down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

# Asking different questions: research priorities to improve the quality of care for every woman, every child



Published Online  
September 20, 2016  
[http://dx.doi.org/10.1016/S2214-109X\(16\)30183-8](http://dx.doi.org/10.1016/S2214-109X(16)30183-8)

Unacceptably high rates of adverse outcomes persist for childbearing women and infants, including maternal and newborn mortality, stillbirth, and short-term and long-term morbidity.<sup>1</sup> In light of the challenges to achieve the UN Sustainable Development Goals, it is timely to reconsider priorities for research in maternal and newborn health. Are we asking the right questions?<sup>2</sup> Recent evidence indicates the importance of seeking knowledge beyond the treatment of complications, to inform better ways of providing sustainable, high quality care, including preventing problems before they occur.<sup>3</sup>

The 2014 publication of *The Lancet's Series on Midwifery* presented a unique opportunity to generate future areas of inquiry by drawing on the most extensive examination to date of evidence on the care that all women and newborn infants need across the continuum from pre-pregnancy, birth, post partum, and the early weeks of life.<sup>4-6</sup> The Series summarised the evidence base for quality maternal and newborn care in a new framework that focuses on the needs of women, infants, and families and differentiates between *what* care is provided, *how* it is provided, and

by *whom*.<sup>4</sup> These are concepts that are often confused or ignored in existing studies. Midwifery was identified as a cost-effective and fundamentally important element of quality care, with the potential to improve over 50 different maternal and newborn outcomes including mortality and morbidity. However, there are substantive barriers to proper implementation and integration of midwifery into health systems.<sup>1</sup>

We adapted the Child Health and Nutrition Research Initiative (CHNRI) methodology to score competing future research topics on quality maternal and newborn care and the contribution of midwifery to that care.<sup>7</sup> This method has been used to set health research priorities for infant and childhood conditions,<sup>8,9</sup> reduction of maternal and perinatal mortality,<sup>2</sup> and preterm birth and stillbirths.<sup>10</sup>

A team representing expertise in maternal and newborn health research, including authors from *The Lancet's Series on Midwifery*, contributors from WHO, UNFPA, the International Confederation of Midwives, and a representative of or advocate for service users conducted the work. The team identified

Research priorities	Research priority score
1 Evaluate the effectiveness of midwifery care across the continuum in increasing access to and acceptability of family planning services for women	90.4
2 Evaluate the effectiveness of midwife-led care when compared to other models of care across various settings, particularly on rates of fetal and infant death, preterm birth, and low birthweight	89.8
3 Determine which indicators are most valuable in assessing quality maternal and newborn care	89.7
4 Identify and describe aspects of care that optimise, and those that disturb, the biological/physiological processes for healthy childbearing women and fetus/newborn infants and those who experience complications	89.3
5 Evaluate the effectiveness of midwifery care in providing culturally appropriate information, education, and health promotion (eg, nutrition, substance use, domestic violence, and mental health)	89.1
6 Identify and describe enabling factors from examples of successful implementation of evidence-based maternal and newborn care across a variety of settings	89
7 Describe and evaluate the effectiveness of midwives working with others (such as health professionals, community health workers, and traditional birth attendants) in achieving quality maternal and newborn care including, but not limited to: Timely transfer of women to appropriate level/site of care Management of emergency situations Maximal use of skills and competencies Shared decision-making and accountability	89
8 Assess the views and preferences of women and families across a variety of settings about their experiences of maternal and newborn care including, but not limited to, care providers and sites of care (eg, place of birth, antenatal care)	88.8
9 Develop setting-specific benchmarks to assess measurable progress on implementation of quality maternal and newborn care	88.3
10 Identify and describe aspects of maternal and newborn care that strengthen or weaken women's psychosocial wellbeing and mental health	88.0
11 Assess whether new measures of morbidity are needed to more effectively evaluate outcomes of maternal and newborn care	88.0

**Table: Ranking of research topics by overall research priority score**

30 research topics based on an analysis of gaps in the evidence presented in the 2014 *Lancet Series on Midwifery*. Stakeholders were asked to consider the potential research topics in terms of their relevance, significance, and potential future implementation based on five criteria: answerability, community involvement, sustainability, equity, and maximal impact.<sup>7</sup> The 30 research topics and scoring criteria were distributed in English, French, and Spanish online surveys to 1191 stakeholders, including constituents of the global Partnership for Maternal, Newborn, and Child Health (PMNCH) and representatives from all WHO regions. Stakeholders were asked to score each of the 30 research topics as 1-0 (yes), 0-5 (informed but undecided answer), or 0 (no) on whether they met each of the five criteria. It was possible to omit a score if a respondent did not feel confident to decide on a criterion; these were regarded as missing data and not part of the denominator. Summary scores for each criterion and an overall score were then computed as the sum of the scores divided by the number of actual scorers.

Responses were received from all WHO regions, with a total response rate of 23% (n=271). Most (83%) responses were submitted in English, 13% in French, and 4% in Spanish. The highest proportion (24%) of those who provided demographic information came from the Western Pacific Region and the lowest (2.6%) from southeast Asia. Over a quarter (26%) came from the academic, research, or training institution sector of the PMNCH constituents. Of the 199 respondents who identified themselves as health professionals, 168 (84%) were in roles associated with maternal and child health.

Our goal was to identify the top 10 priorities; however, two scored equally, and so the top 11 are presented in the table. The stakeholders prioritised research that would increase knowledge about ways to prevent complications and reduce unnecessary interventions, strengthen women's own capabilities, and optimise biological, social, and cultural processes. They also identified the importance of examining the role of midwifery in providing quality care for all women and infants. Stakeholders also identified research to improve skilled, knowledgeable, and compassionate care provided by an appropriate workforce that ensures timely referral when complications arise. The top two priorities indicate the fundamental importance of effective family planning services and of quality care

to reduce rates of preterm birth, low birthweight, stillbirth, and perinatal mortality. Evidence indicates that midwifery care can be a key intervention to improve these outcomes, but more research is urgently needed to determine clinically and cost-effective models of care in diverse settings, especially in low-resource areas.<sup>11</sup> A focus on new measures and indicators of care components that have not traditionally been well examined will enable new benchmarks to be set for developing systems of care that meet the needs of all women and newborns.

The priorities identified reveal broad knowledge domains rather than individual research questions. Research funding in the past has often targeted management of critical situations that contribute to high mortality, such as haemorrhage, hypertensive disorders, obstructed labour, preterm birth, and sepsis.<sup>12</sup> The priorities identified in this study do not eschew the importance of complication management, but potentially restore balance by moving towards a focus on prevention. Studying ways of providing such care has the potential to improve the provision of quality care for all, enhance women's and infants' own capabilities, and maximise the health promotion potential of midwives. The Global Strategy for Women's, Children's and Adolescents' Health 2016–2030 is designed to help women, children, and adolescents survive, thrive, and transform.<sup>13</sup> The concepts of thriving and transforming particularly resonate with the research priorities identified in this exercise. Importantly, this new knowledge could contribute to achieving Sustainable Development Goal 3, for healthy lives and wellbeing for all people. Investment in these innovative priorities has the potential to enable the rights of women and children to life and to health, and help women, infants, and families to survive and thrive. It would be transformative for families, communities, and science.

*\*Holly Powell Kennedy, Sashiyo Yoshida, Anthony Costello, Eugene Declercq, Marcos A Dias, Elizabeth Duff, Atf Gherissi, Karyn Kaufman, Frances McConville, Alison McFadden, Michaela Michel-Schuldt, Nester T Moyo, Kerri Schuiling, Anna M Speciale, Mary J Renfrew*

Yale University, West Haven, CT 06516, USA (HPK); World Health Organization, Geneva, Switzerland (SY, AC, FM); Boston University, Boston, MA, USA (ED); Instituto Fernandes Figueira—FIOCRUZ, Rio de Janeiro, Brazil (MAD); National Childbirth Trust, London, UK (ED);

Université Tunis-El Manar, Tunis, Tunisia (AG); McMaster University, Hamilton, ON, Canada (KK); University of Dundee, Dundee, UK (AM, MJR); UNFPA, New York, USA (MM-S); International Confederation of Midwives, The Hague, Netherlands (NTM, KS); and American College of Nurse-Midwives, Silver Spring, MD, USA (AMS) holly.kennedy@yale.edu

We declare no competing interests. Funding from the Bill & Melinda Gates Foundation and NORAD was used to support author meetings, data collection and analysis, and editing.

© 2016 World Health Organization; licensee Elsevier. This is an Open Access article published under the CC BY 3.0 IGO license which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited. In any use of this article, there should be no suggestion that WHO endorses any specific organisation, products or services. The use of the WHO logo is not permitted. This notice should be preserved along with the article's original URL.

- 1 International Confederation of Midwives, WHO, UNFPA. State of the World's Midwifery: a universal pathway, a woman's right to health. <http://www.unfpa.org/sowmy> (accessed Sept 8, 2016).
- 2 Chalmers I. The perinatal research agenda: whose priorities? *Birth* 1991; **18**: 137-41.
- 3 Souza JP, Widmer M, Gulmezoglu AM, et al. Maternal and perinatal health research priorities beyond 2015: an international survey and prioritization exercise. *Reprod Health* 2014; **11**: 61.
- 4 Renfrew MJ, McFadden A, Bastos MH, et al. Midwifery and quality care: findings from a new evidence-informed framework for maternal and newborn care. *Lancet* 2014; **384**: 1129-45.
- 5 Homer CS, Friberg IK, Dias MA, et al. The projected effect of scaling up midwifery. *Lancet* 2014; **384**: 1146-57.
- 6 Van Lerberghe W, Matthews Z, Achadi E, et al. Country experience with strengthening of health systems and deployment of midwives in countries with high maternal mortality. *Lancet* 2014; **384**: 1215-25.
- 7 Rudan I, Gibson JL, Ameratunga S, et al. Setting priorities in global child health research investments: guidelines for implementation of CHNRI method. *Croat Med J* 2008; **49**: 720-33.
- 8 Yoshida S, Rudan I, Lawn JE, et al. Newborn health research priorities beyond 2015. *Lancet* 2014; **384**: e27-29.
- 9 Lawn JE, Bahl R, Bergstrom S, et al. Setting research priorities to reduce almost one million deaths from birth asphyxia by 2015. *PLoS Med* 2011; **8**: e1000389.
- 10 Bahl R, Martines J, Bhandari N, et al. Setting research priorities to reduce global mortality from preterm birth and low birth weight by 2015. *J Glob Health* 2012; **2**: 010403.
- 11 Sandall J, Soltani H, Gates S, Shennan A, Devane D. Midwife-led continuity models versus other models of care for childbearing women. *Cochrane Database Syst Rev* 2015; **9**: CD004667.
- 12 Tunçalp, Were WM, MacLennan C, et al. Quality of care for pregnant women and newborns—the WHO vision. *BJOG* 2015; **122**: 1045-49.
- 13 World Health Organization. The Global Strategy for Women's, Children's, and Adolescent's Health (2016-2030). Geneva: World Health Organization, 2015.