



**University of Dundee**

## **A System for Dispute Mediation**

Janier, Mathilde; Snaith, Mark; Budzynska, Katarzyna; Lawrence, John; Reed, Chris

*Published in:*  
Computational Models of Argument

*DOI:*  
[doi:10.3233/978-1-61499-686-6-351](https://doi.org/10.3233/978-1-61499-686-6-351)

*Publication date:*  
2016

*Document Version*  
Publisher's PDF, also known as Version of record

[Link to publication in Discovery Research Portal](#)

### *Citation for published version (APA):*

Janier, M., Snaith, M., Budzynska, K., Lawrence, J., & Reed, C. (2016). A System for Dispute Mediation: The Mediation Dialogue Game. In P. Baroni, T. F. Gordon, T. Scheffler, & M. Stede (Eds.), *Computational Models of Argument: Proceedings from the Sixth International Conference on Computational Models of Argument (COMMA)* (Vol. 287, pp. 351-358). (Frontiers in Artificial Intelligence and Application; Vol. 287). IOS Press. <https://doi.org/doi:10.3233/978-1-61499-686-6-351>

### **General rights**

Copyright and moral rights for the publications made accessible in Discovery Research Portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from Discovery Research Portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain.
- You may freely distribute the URL identifying the publication in the public portal.

### **Take down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

# A System for Dispute Mediation: The Mediation Dialogue Game

Mathilde JANIER <sup>a,1</sup>, Mark SNAITH <sup>a</sup>, Katarzyna BUDZYNSKA <sup>a,b</sup>,  
John LAWRENCE <sup>a</sup> and Chris REED <sup>a</sup>

<sup>a</sup>Centre for Argument Technology, University of Dundee, UK

<sup>b</sup>Polish Academy of Sciences, Poland

**Abstract.** We propose a dialogue game for mediation and its formalization in DGDL. This dialectical system is available as software through Arvina for automatic execution. This work expands the literature in dialectical systems, in particular those for more than two players, and shows the practical impact on mediation activity through the opportunity offered to mediators once implemented.

**Keywords.** dispute mediation, dialogue game, formal dialectical systems, DGDL, DGEP, Arvina

## 1. Introduction

In dialectical systems, dialogical interaction is viewed as a game with rules that players must follow. Rules of a game are explicated in a dialogue protocol which specifies how the discussion can or should unfold. These rules depend on the type of dialogue the participants are involved in (e.g. persuasion, negotiation or inquiry), and a variety of dialogue games has been proposed (e.g. [1,2]) that help us understand, improve or replicate argumentative interactions. Despite a large number of dialectical systems in the literature (see [3] for an overview), none has, to our knowledge, ever been developed specifically for dispute mediation. This is the challenge taken up here, with a motivation which is two-fold: first, formalizing mediation discourse promises a theoretical framework and a normative view of argumentative interactions; second, executing the game offers the opportunity to deliver a practical tool to support mediation, a conflict resolution process that has enjoyed little computational attention.

Research focused on discourse in dispute mediation such as [4] has proven the major role that arguments play in this activity. In mediation, disputants try to resolve a conflict with the help of a third-neutral, the mediator, who makes sure their discussion is efficient and reasonable so that agreement can be quickly reached. To do so, mediators encourage parties to make their positions clear and redirect the discussion whenever parties do not manage to agree on particular issues. Mediation discourse therefore possesses its own dialogical and argumentative character. Of crucial importance is the mediator's central place in the discussions. Most of their contributions in the discussion consists in asking parties to explicitly deliver and explain their position regarding an issue via pure

---

<sup>1</sup>Corresponding Author: School of Computing, University of Dundee, UK; E-mail: m.janier@dundee.ac.uk.

questions and challenges. A certain type of question also allows mediators to directly seek the parties' agreement or disagreement on some issues: defined in [5] as assertive questioning, this type of question, is a convenient way of making them agree or disagree on propositions. Also, the neutrality of mediators does not prevent them from being assertive but, in contrast to parties who assert their points of view, mediators usually summarize or clarify the discussion [4]. As we will see in Section 2.2, these types of moves can be seen as *restating* (or reframing) the parties' positions.

If we consider that a typical mediation is a discussion in which parties must argue for or against a proposition and the mediator redirects the discussion or restates the disputants' standpoints whenever agreement cannot be quickly reached, then we can take advantage of a general framework where the dialogue can be easily modeled and formalized to define a mediation dialogue game. Implementing it in a system also promises a real application that could be used by trainee mediators to practice their skills.

In Section 2 we present the rules of the Mediation Dialogue Game (MDG), formalize and implement it in Sections 3 and 4, and then compare MDG to other existing dialectical systems in Section 5. We finally discuss future work in Section 6.

## 2. Specifying a Mediation Dialogue Game: MDG

In this section, we specify the rules of a generic mediation dialogue game (MDG). The definition of the rules relies on empirical knowledge of mediation interactions (such as [4]) and close analyses of the Dispute Mediation Corpus (DMC)<sup>2</sup> [6]. The rules capture the minimal characteristics of mediation dialogues. Keeping in mind that this game can be executed and used for mediation training, the rules provide strategic moves to the mediator e.g tackling new issues (see e.g rule SR9.3 in Section 2.4 below). Moreover, the game offers a normative framework guaranteed by rules that assure parties' reasonableness: they cannot have inconsistent commitments and are obliged to answer to questions and challenges (see e.g. rule SR7 below).

### 2.1. Players, Domain and General Considerations

MDG captures the opening and argumentative stages of a dispute which involves three players:  $P_1$  and  $P_2$ , who play the role of disputing participants (or parties), and  $M$  who plays the role of the mediator. We also use  $P_x$  and  $P_y$ , where  $x, y \in \{1, 2\}$  and  $x \neq y$  when we are not interested in a party in particular, but nevertheless need to make a distinction between them. In MDG,  $P_1$ ,  $P_2$  and  $M$  engage in a dialogue to resolve a dispute on topic  $t$  by advancing a set of propositions  $p$ ,  $q$ , and so on, that pertain to the domain  $t$  (e.g. divorce, child custody).  $t$  can be any topic that is tackled in civil case mediations, and propositions  $p$ ,  $q$  etc. are any proposition about the dispute at stake.

### 2.2. Locution Rules

Locution rules define the types of moves that players can perform during the game. They are composed of two elements: the proposition (or propositional content) symbolized by lower-case letters (e.g.  $p$ ) and its illocutionary force [7], forming a function of the type Illoc-Force( $p$ ). The locution rules of our game are given in Table 1.

---

<sup>2</sup>Corpus available at [arg.tech/DMC](http://arg.tech/DMC)

**Table 1.** Locution rules

LR1	<p>M can only question (Q), challenge (Ch) or restate (R):</p> <ol style="list-style-type: none"> <li>1. PQ(<math>p</math>) when he asks whether <math>p</math> is the case, i.e. if <math>P_x</math> believes <math>p</math></li> <li>2. AQ(<math>p</math>) when he seeks <math>P_x</math>'s agreement on <math>p</math></li> <li>3. PCh(<math>p</math>) when he seeks <math>P_x</math>'s ground for stating <math>p</math></li> <li>4. R(<math>p</math>) when he reuses <math>P_x</math>'s proposition <math>p</math></li> </ol>
LR2	<p><math>P_x</math> cannot question or challenge but will respond to Qs and Chs in one of the following ways:</p> <ol style="list-style-type: none"> <li>1. A(<math>p</math>) when he states an opinion</li> <li>2. W(<math>p</math>) when he retracts <math>p</math></li> <li>3. Agr(<math>p</math>) when he agrees on <math>p</math></li> <li>4. Disagr(<math>p</math>) when he disagrees on <math>p</math></li> </ol>

Mediator's typical moves i.e. questioning (Q) and restating (R) participants' locutions (see Section 1) must be available in our dialogue game rules: this is provided by LR1. We also constrain  $P_1$  and  $P_2$ 's moves by forbidding Q, Ch and R. If this game is indeed intended to mediators for practicing their techniques, M should be the only one to have 'strategic' moves available: PQs (pure questions) to launch the discussion and new issues to broach, AQs (assertive questions) to seek other players (dis-)agreement, PChs (pure challenges) to foster argumentation and, most importantly, R to be able to go back on a previous proposition; furthermore, we prevent M from asserting (A) to comply with the mediator's principle of neutrality.

$P_1$  and  $P_2$  can make assertions (A) that allow them to give their opinion (LR2.1). With LR2.2 parties can withdraw (W) a proposition, a feature needed in particular to keep commitments updated and which usefulness is elicited by structural rules (see Sections 2.3 and 2.4). Finally,  $P_x$  can Agr (agree) and Disagr (disagree) to show his position regarding claims that he did not introduced (LR2.3 and LR2.4).

It is important to note that we do not specify a locution rule to permit players to *argue*. As stated in [8] and [9], 'arguing' is a complex illocutionary force that takes shape only by virtue of the interrelation between locutions: one can build an argument by asserting  $p$  and  $q$  and showing that there is an inference between  $p$  and  $q$ , e.g. " $p$  because  $q$ ". Hence, *arguing* is automatically created when support for a proposition is given and, in MDG, PCh allows for triggering inference.

### 2.3. Commitment Rules

Integrating commitment-stores is a convenient way for detecting when consensus on an issue is reached [2]. They allow for keeping track of which propositions speakers are committed to. Propositions are thus updated in function of the developments of the dialogue. In Table 2,  $Com_x$  symbolizes  $P_x$ 's commitment-store. Note that only  $P_1$  and  $P_2$  have commitment-stores; this is because we want to reflect the mediator's neutrality. Updating a store therefore only happens when  $P_x$  moves. As in most formal dialogue systems (e.g. DC [10], CB [11], or PPD [2]), MDG allows players to retract propositions: if a proposition is withdrawn, it is assumed that the players are no more in conflict about this proposition and consensus is reached on that particular proposition (CR2). Commitment rules in MDG however differ from those in other dialogue games in that propositions are added only if they have been asserted or agreed on: we do not assume that a proposition is accepted by all players until it is retracted. This is defined in CR1 and

**Table 2.** Commitment rules

CR1	After $A(p)$ , performed by $P_x$ , $p$ is added to $Com_x$
CR2	After $W(p)$ , performed by $P_x$ , $p$ is removed from $Com_x$
CR3	After $Agr(p)$ , performed by $P_x$ , $p$ is added to $Com_x$
CR4	After $Disagr(p)$ , performed by $P_x$ , $\neg p$ is added to $Com_x$

CR3. CR4 specifies that if a proposition  $p$  is disagreed on, then the opposite proposition ( $\neg p$ ) is added to a store.

#### 2.4. Structural Rules

Structural rules regulate how the dialogue can proceed i.e. which move is permitted, by which player, after a particular move. These are presented in Table 3.

The beginning of the dialogue aims at revealing  $P_1$  and  $P_2$ 's respective standpoints w.r.t. the topic of the dispute [4], that is why M must ask both parties about the topic  $t$  (SR3). To reflect the argumentative function of the dialogue game,  $P_1$  and  $P_2$  must argue but, given constraint SR1 and LR2, argumentation can only be performed by M advancing PCh and  $P_1$  and  $P_2$  answering the challenge, specified in SR4. SR5 specifies that M can ask a player whether she also believes  $p$ , agrees on  $p$ , or ask to the player whose commitment-store contains  $p$  grounds for stating such a proposition. SR6 specifies that  $P_1$  and  $P_2$  must make their positions clear on a proposition  $p$  when M poses a PQ: they are either committed to  $p$  (SR6.1) or not (SR6.2). After an AQ, a player can withdraw  $p$  or (dis-)agree on  $p$  (SR7). SR8 allows a player to argue for a standpoint (SR8.1) or retract a proposition (SR8.2). If a player withdraws a proposition  $p$ , M can ask whether the player is then committed to  $\neg p$  (SR9.1) or, he can explore new issues by asking questions on other propositions (SR9.2 and SR9.3). M can also explore other propositions with SR10. If a player disagrees on a proposition  $p$ , M can redirect the discussion on another issue (SR11.1), or check if the player is then committed to  $\neg p$  by restating  $\neg p$  (SR11.2), and either trigger the player's (dis-)agreement on  $\neg p$  (SR12.1) or ask him grounds for  $\neg p$  (SR12.2). With the last three rules, we can see the importance of the technique of restating: we have seen that when a player disagrees on a proposition  $p$ , the opposite proposition is added to its commitment store (rule CR4). This proposition  $\neg p$ , however, has never been asserted by the player, and M may want to make sure that the player actually believes  $\neg p$ . There are two possibilities for this: either seek for (dis-)agreement on  $\neg p$  via an AQ, or challenging  $\neg p$ , in which case the player will give a support for  $\neg p$  or withdraw it. These rules therefore allow M to clarify the players' standpoints: if they disagree on a proposition  $p$ , it does not necessarily mean that they believe the opposite, and this must be made clear in the game so that all positions are explicitly provided.

#### 2.5. Termination and Outcome Rules

Termination rules define how and when the dialogue must end. In mediation, the process ends when a final agreement between disputants has been reached or when, after a certain time, disputants and mediators reckon that agreement is not possible. In MDG, the dialogue can terminate at any point, provided that the last player to move is not M i.e. when M's questions or challenges have been responded to.

Outcome rules should specify, at the end of a dialogue, who wins and who loses. In MDG, only  $P_1$  and  $P_2$  can win. At the start of the game,  $P_1$  is committed to  $p$  and  $P_2$  to

**Table 3.** Structural rules

SR1	$P_1$ and $P_2$ can only perform one move per turn
SR2	M can perform a maximum of two moves per turn iff the first move consists of restating (R)
SR3	The dialogue starts with M seeking $P_1$ and $P_2$ 's respective points of view regarding $t$ , therefore: 1. M moves first with $PQ(t)$ addressed to $P_1$ 2. After that, $P_1$ must answer with $A(p)$ 3. Then, M moves with $PQ(t)$ addressed to $P_2$ 4. Next, $P_2$ must answer with $A(q)$
SR4	The second step of the opening stage is to discover $P_1$ and $P_2$ 's grounds for $p$ and $q$ , therefore: 1. M performs $PCh(p)$ addressed to $P_1$ 2. After that, $P_1$ must answer with $A(r)$ 3. Then, M performs $PCh(q)$ addressed to $P_2$ 4. Next, $P_2$ must answer with $A(s)$
SR5	After $P_x$ performed $A(p)$ , M can perform: 1. $PQ(p)$ addressed at $P_y$ 2. $AQ(p)$ addressed at $P_y$ 3. $PCh(p)$ addressed at $P_x$
SR6	After M performed $PQ(p)$ addressed at $P_x$ , $P_x$ can perform: 1. $A(p)$ 2. $A(\neg p)$
SR7	After M performed $AQ(p)$ addressed at $P_x$ , $P_x$ can: 1. $W(p)$ 2. $Agr(p)$ 3. $Disagr(p)$
SR8	After M performed $PCh(p)$ to $P_x$ , $P_x$ can: 1. $A(q)$ 2. $W(p)$
SR9	After $P_x$ performed $W(p)$ , M can: 1. $AQ(\neg p)$ addressed to $P_x$ 2. $PQ(q)$ addressed either to $P_x$ or $P_y$ 3. $AQ(q)$ addressed either to $P_x$ or $P_y$
SR10	After $P_x$ performed $Agr(p)$ , M can: 1. $PQ(q)$ addressed either to $P_x$ or $P_y$ 2. $AQ(q)$ addressed either to $P_x$ or $P_y$
SR11	After $P_x$ performed $Disagr(p)$ , M can, 1. $PQ(q)$ addressed to any player 2. $R(\neg p)$ addressed to $P_x$ and $P_y$
SR12	After M performed $R(\neg p)$ , M must either: 1. $AQ(\neg p)$ addressed to $P_x$ i.e. the player who previously disagreed on $p$ , or 2. $PCh(\neg p)$ addressed to $P_x$ i.e. the player who previously disagreed on $p$

$q$  and, in order to win, the players must be committed to their initial proposition, and: (i) have this proposition accepted by the opponent or, (ii) have the opponent retract his initial proposition or, (iii) have the opponent committed to no proposition at all. In all other cases the winner of the game is left undecided. The 12 different final situations are summarized in Table 4.

**Table 4.** Final situations in MDG

Situation	P <sub>1</sub> is committed to	P <sub>2</sub> is committed to
P <sub>1</sub> wins if	$p$	$\emptyset$
	$p$	$\neg q$
	$p$	$p$
P <sub>2</sub> wins if	$\emptyset$	$q$
	$\neg p$	$q$
	$q$	$q$
undecided	$p$	$q$
	$\neg p$	$\neg q$
	$\neg p$	$\emptyset$
	$\emptyset$	$\neg q$
	$\emptyset$	$\emptyset$
	$q$	$p$

### 3. Formal Specification in DGDL

The Dialogue Game Description Language (DGDL) [12] is a language developed to cope with the diversity of dialectical systems, allowing for a standardized formalization of games. The formal specification of MDG consists in translating the rules presented in Section 2 so that the game can be executed. We do not include it here, however it is available to the reader at: [arg.tech/MDG](http://arg.tech/MDG). In our DGDL specification, the first line explains that the system described is the mediation dialogue game, where there is not a predefined number of turns (line 2). Lines 3-11 specify the number of players, their role and identification (see Section 2.1), and their commitment stores (see Section 2.3). The *Interactions* (line 13 onwards) are the moves that each participant in the dialogue can make, along with the associated effects. Line 15 explains that the dialogue starts with M asking a PQ to P<sub>1</sub>. Lines 20-22, 26-29 and 33-35 correspond to structural rules SR6, SR7 and SR4 respectively. Lines 38-51 specify rules SR5 and CR1 together, and the obligation for M to move next. Lines 57-67 correspond to rules SR9 and CR2. Lines 62-82 and 87-97 specify SR10 and CR3, as well as SR11 and CR4. Finally SR12 is given in lines 102-104.

### 4. Implementation and Product

The Dialogue Game Execution Platform (DGEP) was created to handle any DGDL specifications in order to implement a variety of systems, giving us the opportunity to automatically execute our game in a system to play it. Arvina is a dialogical support system for the execution of games [13,14] relying on both DGDL and DGEP. It allows users to play a dialogue game with virtual agents and or other humans on a user-friendly interface. The advantages of using Arvina in public deliberation contexts has been shown in [13], and additional dialogue games (e.g. for debates) have been implemented. This flexibility therefore ensures the possibility to execute our MDG.

Figure 1 is a screenshot of MDG executed in Arvina. The users (three human players) advanced propositions that were extracted from a dialogue taken from DMC<sup>3</sup>. We

<sup>3</sup>Available at [arg.tech/map9373](http://arg.tech/map9373)

can see the Mediator asking the first mandatory PQ and PCh to Viv (playing the role of a party) following the other party (Eric)'s response to the same questions. The bottom banner with "Select a move: No moves available" shows that after the PCh, Mediator is not authorized to perform a move until Viv answers. This figure shows that the game matches up reasonably well with natural discourse.




Figure 1. MDG in Arvina

## 5. Related Work

In [15], Prakken was one of the first to develop a formal system involving three players: he introduced an ‘adjudicator’ to persuasion dialogue systems to reflect the role of participants in legal settings. MDG is similar to Prakken’s model in that we provided a specification for three players, including the mediator (M) whose role is in some way similar to Prakken’s adjudicator in the argumentation phase. Similarly to Prakken’s system, our game allows a fair and efficient resolution of the conflict. Structural rules are designed to encourage fairness thanks to a balance between  $P_1$  and  $P_2$ ’s contributions (e.g. the first PQ and PCh are asked alternately to both players) and efficiency is facilitated by AQ that permits M to seek agreement on several points.

A significant difference between MDG and the state of the art lies in the way it handles argumentation. In [16] and [15] players argue via locutions of the type  $\phi$  since  $S$  or argue  $A$ . In our system, argumentation is implicit and is the result of the interactions rather than an action per se. This more closely matches evidence from empirical studies that show that arguments are created by dialogical interactions [9].

## 6. Conclusion and future work

In this paper we proposed a dialectical system for dispute mediation dialogues: MDG. This game aims at providing a minimal and generic framework that can be derived to



grasp other mediation subtleties. As an example, in [17], the authors identified three types of discussions in mediation (critical, bargaining and therapeutic). It would be possible to further specify MDG to play these three different types of games. Also, it would be interesting to further constrain our game by allowing strategic moves to parties; that would not only make the mediator's task tougher, but would also be more representative of what mediation discussions actually look like. After exploring these tracks and bringing improvements to our game, it will be possible to deliver the tool to mediation practitioners for evaluation.

In conclusion, this paper offers advances on both theoretical and practical sides. It extends knowledge on dialectical systems and mediation discourse, while at the same time finding a real utility in supporting the ever-growing practice of dispute mediation.

## 7. Acknowledgments

We gratefully acknowledge the support of the Leverhulme Trust under grant RPG-2013-076.

## References

- [1] C. L. Hamblin, *Fallacies*. Vale Press, 1970.
- [2] D. N. Walton and E. C. W. Krabbe, *Commitment in dialogue: Basic concepts of interpersonal reasoning*. State University of New York Press, 1995.
- [3] P. McBurney and S. Parsons, "Dialogue game protocols," in *Communication in Multiagent Systems*, pp. 269–283, Springer, 2003.
- [4] S. Greco Morasso, *Argumentation in dispute mediation*. John Benjamins Publishing Company, 2011.
- [5] M. Janier and C. Reed, "Towards a theory of close analysis for dispute mediation discourse," *Argumentation*, vol. 0.1007/s10503-015-9386-y, 2015.
- [6] M. Janier and C. Reed, "Corpus resources for dispute mediation discourse," in *Proceedings of the Tenth International Conference on Language Resources and Evaluation (LREC 2016)*, pp. 1014–1021, 2016.
- [7] J. R. Searle and D. Vanderveken, *Foundations of illocutionary logic*. Cambridge University Press, 1985.
- [8] F. H. van Eemeren and R. Grootendorst, "The speech acts of arguing and convincing in externalized discussions," *Journal of Pragmatics*, vol. 6, no. 1, pp. 1–24, 1982.
- [9] K. Budzynska, M. Janier, J. Kang, C. Reed, P. Saint Dizier, M. Stede, and O. Yaskorska, "Towards argument mining from dialogue," in *Proceedings of COMMA*, vol. 266, pp. 185–196, 2014.
- [10] J. D. Mackenzie, "Question-begging in non-cumulative systems," *Journal of Philosophical Logic*, vol. 8, no. 1, pp. 117–133, 1979.
- [11] D. N. Walton, *Logical dialogue-games and fallacies*. University Press of America Inc., 1984.
- [12] F. Bex, J. Lawrence, and C. Reed, "Generalising argument dialogue with the Dialogue Game Execution Platform," in *Proceedings of COMMA*, vol. 266, pp. 141–152, 2014.
- [13] M. Snaith, J. Lawrence, and C. Reed, "Mixed initiative argument in public deliberation," in *Proceedings of Online Deliberation, Fourth International Conference, OD2010*, pp. 2–13, 2010.
- [14] J. Lawrence, F. Bex, and C. Reed, "Dialogues on the Argument Web: Mixed initiative argumentation with Arvina," in *Proceedings of COMMA*, vol. 245, pp. 513–514, 2012.
- [15] H. Prakken, "A formal model of adjudication dialogues," *Artificial Intelligence and Law*, vol. 16, no. 3, pp. 305–328, 2008.
- [16] H. Prakken, "Formal systems for persuasion dialogue," *The Knowledge Engineering Review*, vol. 21, no. 02, pp. 163–188, 2006.
- [17] S. Jacobs and M. Aakhus, "What mediators do with words: Implementing three models of rational discussion in dispute mediation.," *Conflict resolution quarterly*, vol. 20, no. 2, pp. 177–203, 2002.