



University of Dundee

Identification of pathological complete response after neoadjuvant chemotherapy for breast cancer

Evans, A.; Whelehan, P.; Thompson, A.; Purdie, C.; Jordan, L.; Macaskill, J.

Published in:
Clinical Radiology

DOI:
[10.1016/j.crad.2018.05.030](https://doi.org/10.1016/j.crad.2018.05.030)

Publication date:
2018

Document Version
Peer reviewed version

[Link to publication in Discovery Research Portal](#)

Citation for published version (APA):

Evans, A., Whelehan, P., Thompson, A., Purdie, C., Jordan, L., Macaskill, J., Henderson, S., & Vinnicombe, S. (2018). Identification of pathological complete response after neoadjuvant chemotherapy for breast cancer: comparison of greyscale ultrasound, shear wave elastography, and MRI. *Clinical Radiology*, 73(10), 910.e1-910.e6. <https://doi.org/10.1016/j.crad.2018.05.030>

General rights

Copyright and moral rights for the publications made accessible in Discovery Research Portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from Discovery Research Portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain.
- You may freely distribute the URL identifying the publication in the public portal.

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Table 1

Associations between changes in US, SWE and MRI parameters at end of treatment scanning and pCR using Youden's index values as cut offs

	sensitivity	specificity	Youden's index
Maximum stiffness	78%	81%	0.59
SD	81%	67%	0.48
Mean Stiffness	73%	95%	0.68
US diameter	78%	81%	0.58
Combination of mean stiffness and US	93%	81%	0.74
MRI	91%	95%	0.86