



University of Dundee

Cyclin-dependent kinase 12 is a drug target for visceral leishmaniasis

Wyllie, Susan; Thomas, Michael; Patterson, Stephen; Crouch, Sabrina; De Rycker, Manu; Lowe, Rhiannon

Published in:
Nature

DOI:
[10.1038/s41586-018-0356-z](https://doi.org/10.1038/s41586-018-0356-z)

Publication date:
2018

Document Version
Peer reviewed version

[Link to publication in Discovery Research Portal](#)

Citation for published version (APA):


Wyllie, S., Thomas, M., Patterson, S., Crouch, S., De Rycker, M., Lowe, R., Gresham, S., Urbaniak, M. D., Otto, T. D., Stojanovski, L., Simeons, F. R. C., Manthri, S., MacLean, L. M., Zuccotto, F., Homeyer, N., Pflaumer, H., Boesche, M., Sastry, L., Connolly, P., ... Gilbert, I. H. (2018). Cyclin-dependent kinase 12 is a drug target for visceral leishmaniasis. *Nature*, *560*(7717), 192-197. <https://doi.org/10.1038/s41586-018-0356-z>


General rights

Copyright and moral rights for the publications made accessible in Discovery Research Portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy


If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.






9

cidal axenic EC₅₀ 4.2 μM
Intramacrophage EC₅₀ 25 μM




10

cidal axenic EC₅₀ 1.4 μM
Intramacrophage EC₅₀ 5.2 μM



11

cidal axenic EC₅₀ 2.0 μM
Intramacrophage EC₅₀ 27 μM



12

cidal axenic EC₅₀ 5.5 μM
Intramacrophage EC₅₀ 23 μM