



University of Dundee

Understanding health information management practices in public hospitals in Kuwait

Alhuwail, Dari

Published in:
Health Information Management Journal

DOI:
[10.1177/1833358319837247](https://doi.org/10.1177/1833358319837247)

Publication date:
2020

Document Version
Peer reviewed version

[Link to publication in Discovery Research Portal](#)

Citation for published version (APA):
Alhuwail, D. (2020). Understanding health information management practices in public hospitals in Kuwait. *Health Information Management Journal*, 49(2-3). <https://doi.org/10.1177/1833358319837247>

General rights

Copyright and moral rights for the publications made accessible in Discovery Research Portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.



Understanding Health Information Management Practices in Public Hospitals: A Case Study from Kuwait

Journal:	<i>Health Information Management Journal</i>
Manuscript ID	HIMJ-18-0108
Manuscript Type:	Research Article
MeSH Keywords:	Health Information Management, Informatics, Electronic Health Records
Supplementary Keywords:	Kuwait, Policy
Abstract:	<p>Background: The burden of chronic non-communicable diseases is challenging many countries that provide universal health coverage, which necessitates healthcare reform. Health information technology (IT) solutions can aid healthcare reform efforts. However, without proper information management, these efforts are futile. In this study, we examine Kuwait as a case of a high per-capita GDP country that faces information management challenges to draw insights that can be generalized to other developed countries. Objectives: (i) uncover the status-quo of information management practices in public hospitals and (ii) offer recommendations to improve them. Methods: This study analyzes qualitative and quantitative accreditation-related data pertaining to the compliance with the Information Management standard at all secondary-care public hospitals over two accreditation cycles. Results: Overall, public hospitals are making positive progress in their compliance with Information Management standard. However, issues exist with (i) developing and implementing an information management plan, (ii) involving the appropriate stakeholders in selecting health IT solutions, and (iii) access to the Internet by staff and patients. Discussion: The evidence underscores the importance of proper information management driven by clear centralized strategic plans. The role of health information management leaders in hospitals should not be sidelined. Embracing health IT solutions with strong information management practices can aid healthcare reform efforts.</p>

SCHOLARONE™
Manuscripts

Understanding Health Information Management Practices in Public Hospitals: A Case Study from Kuwait

Abstract

Background: The burden of chronic non-communicable diseases is challenging many countries that provide universal health coverage, which necessitates healthcare reform. Health information technology (IT) solutions can aid healthcare reform efforts. However, without proper information management, these efforts are futile. In this study, we examine Kuwait as a case of a high per-capita GDP country that faces information management challenges to draw insights that can be generalized to other developed countries. **Objectives:** (i) uncover the status-quo of information management practices in public hospitals and (ii) offer recommendations to improve them. **Methods:** This study analyzes qualitative and quantitative accreditation-related data pertaining to the compliance with the Information Management standard at all secondary-care public hospitals over two accreditation cycles. **Results:** Overall, public hospitals are making positive progress in their compliance with Information Management standard. However, issues exist with (i) developing and implementing an information management plan, (ii) involving the appropriate stakeholders in selecting health IT solutions, and (iii) access to the Internet by staff and patients. **Discussion:** The evidence underscores the importance of proper information management driven by clear centralized strategic plans. The role of health information management leaders in hospitals should not be sidelined. Embracing health IT solutions with strong information management practices can aid healthcare reform efforts.

Keywords (MeSH): Health Information Management, Kuwait, Health Informatics, Policy, Electronic Health Records.

1. Introduction

Healthcare systems around the globe face grand challenges that hinder their efforts to deliver care services effectively and efficiently while improving the health of the population (Vos et al., 2017).

1
2
3
4
5
6
7
8
9 Globally, the toll of chronic non-communicable diseases, e.g. diabetes and hypertension, has become
10 virtually unbearable and the proliferation of these diseases among the growing populations threatens
11 the economies of many countries (Arredondo and Aviles, 2015). Even in developed countries with
12 universal health coverage, an affluent population, and a high per-capita GDP, these challenges
13 continue to persist (Tordrup et al., 2013). Similar to many developed countries, the demand for
14 healthcare services in the oil-rich State of Kuwait has been on the rise as its population continues to
15 grow older and live longer (Gulseven, 2016; Younis et al., 2015). Additionally, the dramatic changes in
16 the population's socioeconomic status in the post-oil era have promoted a sedentary lifestyle and a
17 high-calorie diet (Al-Haifi et al., 2013; Allafi et al., 2014). Such lifestyle promotes the wide spread of
18 non-communicable diseases such as diabetes (Awad and Alsaleh, 2015; Shaltout et al., 2017),
19 hypertension (Channanath et al., 2013, 2015) and cardiovascular diseases (Alarouj et al., 2013), which
20 are claiming large sums of money and, more importantly, the lives of many people (Mokdad et al.,
21 2014).

22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38 In light of these challenges and the burden of rising costs, maintaining the status quo of universal
39 access to healthcare cannot be maintained anymore. Hence, healthcare reform efforts became a top
40 priority for healthcare system leaders globally, including resource-rich countries (Behbehani, 2014;
41 Conway et al., 2014). Higher quality of care, improved health outcomes, and reduced costs are
42 important targets for all healthcare reform efforts (Berwick et al., 2008). For achieving these targets, the
43 successful and effective adoption of health information technology (IT) solutions, such as electronic
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3
4
5
6
7
8
9 health records (EHRs), by healthcare institutions becomes paramount (Buntin et al., 2010; Koru et al.,
10 2016). These solutions can enable the healthcare organization to better manage the information and
11 improve care coordination among healthcare providers (Williams et al., 2017). Additionally, health IT
12 solutions can collect and monitor dynamic quality measures over-time (Buntin et al., 2010) as well as
13 eliminate duplication and waste in healthcare by making the results of prior diagnostic tests and
14 interventions available at all points of care (Koppel R et al., 2005).

15
16
17
18
19
20
21
22 Unfortunately, recent evidence highlights limitations and quality issues related to data associated with
23 these solutions such as incomplete records (Wright et al., 2015) or miscoded data (de Lusignan et al.,
24 2010). Merely having an electronic record for a patient does not mean that the information in that
25 record is sufficient for safe and effective healthcare practice (Weiskopf et al., 2013). Therefore, the
26 adequate management and governance of health information is a necessary precursor to the
27 effectiveness of health IT solutions. Ineffective information management will not aide healthcare
28 reform efforts but rather create additional problems, increase hazards, and introduce additional
29 barriers to realizing the benefits of healthcare reform (Zeng et al., 2009).

30
31
32
33
34
35
36
37
38
39
40 To date, little is known about the pressing challenges, gaps, and opportunities concerning information
41 management practices in Kuwait's healthcare institutions. The aim of this empirical research is to (i)
42 uncover the status-quo of information management practices in public hospitals and (ii) offer
43 recommendations to improve these practices. The evidence from this research will inform several key
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3
4
5
6
7
8
9 stakeholders such as hospital administrators, health information management professionals,
10
11 informaticians, governments, and policymakers.
12
13

14 2. Background

15
16
17

18 The healthcare system in the State of Kuwait offers universal access to healthcare services with 70% of
19
20 healthcare services being provisioned by the public or government sector represented by the Ministry
21
22 of Health (MoH) (Kuwait Ministry of Health, 2015). This public healthcare system is distributed across
23
24 Kuwait's six governorates and is organized into three levels: Primary, secondary, and tertiary. The
25
26 primary healthcare centers, conveniently located in the residential areas across the country, provide
27
28 the first line of primary care services and the entry point into the healthcare system. Secondary care is
29
30 provided through six general hospitals, while tertiary care is provided via specialized and diseases-
31
32 focused hospitals and centers (Regional Health Systems Observatory- EMRO, 2006). The workforce,
33
34 clinicians and administrators, working in this system are multi-national and come from diverse
35
36 educational and cultural backgrounds (Katoue and Ker, 2018).
37
38
39

40 To better manage health information, Kuwait has made significant investments in the digital health
41
42 infrastructure since 2000 (Weber et al., 2017). A variety of health IT solutions have been implemented
43
44 at MoH facilities (Alhuwail and Barnes, 2011), including EHRs at primary healthcare centers (Al-Azmi
45
46 et al., 2006; Al-Jafar, 2013) and hospitals (Alquraini et al., 2007), as well as Picture Archiving and
47
48 Communication Systems (Buabbas et al., 2016). However, the maturity and adoption levels of these
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3
4
5
6
7
8
9 solutions vary greatly among healthcare facilities and to our knowledge no formal evaluation was
10 performed to assess them. The higher education institutions in Kuwait, namely Kuwait University and
11 the Public Authority for Applied Education and Training, train health information management
12 professionals who will work in the medical records departments at the healthcare institutions.
13 However, the remaining health and allied health professionals receive minimal information
14 management training throughout their academic curriculum.
15

16 An important effort in moving health IT and health information management towards having a more
17 impactful role in health delivery is reaching certain maturity milestones established by globally-
18 recognized standards. The National Accreditation Program for Hospitals (NAPH) in Kuwait,
19 established by the Quality and Accreditation Directorate (QAD) at MoH, provides means to facilitate
20 improvements in health information management. The NAPH is concerned with improving care
21 quality and enhancing patient safety through creating, implementing, monitoring, and evaluating
22 programs and standards of quality and safety across all sectors of MoH.
23

24 The NAPH was established in 2008 and originated from Accreditation Canada's Client Centered
25 Accreditation Program (Ladha-Waljee et al., 2014). The program is tailored to make it appropriate and
26 applicable to the context of Kuwait's healthcare system and the nature of care services provisioned by
27 MoH hospitals. The program provides a process for hospitals to assess, monitor and improve their
28 performance on an ongoing basis. The program is composed of 12 standards that cover a wide range
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3
4
5
6
7
8
9 of important areas and services such as human resources, clinical services, and information
10 management.
11

12
13 Currently, there are debates in the literature about the value of accreditation and whether it is worth
14 the time and money. Yet, many healthcare organizations and systems around the world are engaged in
15 accreditation activities (Greenfield and Braithwaite, 2009). However, there is still no definitive
16 evidence suggesting that accreditation brings no benefits (Ovretveit and Gustafson, 2003). In this
17 paper, we focus on the benefits of compliance with the standards as a result of engaging in
18 accreditation activities, and not necessarily the benefits or value of accreditation. We acknowledge that
19 while compliance with accreditation standards does not guarantee the attainment of superior
20 quality, it establishes a baseline of minimum expectations that are required.
21
22
23
24
25
26
27
28
29
30
31

32 3. Methods

33 Approach and Data Sources

34
35
36
37 The convergent-design mixed methods approach is used to gain a comprehensive, context-specific,
38 and rich understanding of the research topic (Guetterman et al., 2015). This approach allows for an
39 integrative collection and analysis of both quantitative and qualitative data at similar times (Bazeley,
40 2012). Prior to data collection, the required ethical approvals were granted from the ethical review
41 board at MoH. This study analyzes accreditation-related data from hospitals providing secondary care
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3
4
5
6
7
8
9 services. Specifically, this study examines anonymous data collected by QAD at MoH pertaining to
10 the compliance with the Information Management standard at each hospital. Refer to **Error! Reference**
11 **source not found.** for detailed information about the standard and its related criteria. The dataset
12 contains numerical self-assessment scores and surveyors' scores in addition to the surveyors'
13 comments over nine criteria as illustrated in Table 1. Overall, the dataset covers two accreditation
14 cycles with cycle one taking place in 2012-2013 and cycle two taking place in 2016-2017.¹
15
16
17
18
19
20
21

22 [insert Table 1]
23
24
25

26 Accreditation Process

27
28

29 Initially, organizations begin by completing a self-assessment survey evaluating their compliance with
30 the set forth national standards on a predetermined 5-point scale ranging from 'no compliance' to
31 'substantial compliance'. This is followed by an on-site survey conducted by an expert team of
32 healthcare professionals, or surveyors. The surveyors are MoH healthcare providers trained on the
33 accreditation-related assessments and evaluations. The on-site surveys validate the hospitals' self-
34 assessment scores and serve as a means of external peer review and validation. The surveyors' visits
35 entail team interviews, touring the hospital, reviewing all relevant documentation, facilitating various
36 focus group interviews, and finally completing the survey report. After the survey, organizations
37
38
39
40
41
42
43
44
45
46

47
48 ¹ A 10th criterion related to indicators of performance for safety was introduced in the 2nd cycle. This
49 criterion was not included in the analysis as its scores only form a baseline.
50
51
52
53
54
55
56
57
58
59
60

1
2
3
4
5
6
7
8
9 receive a report highlighting the results of the survey, the hospital's strengths, recommendations for
10 improvement, and an accreditation decision. Organizations are encouraged to follow-up on the
11 recommendations from the report and continue to make ongoing improvements to their services.
12
13
14

15 16 17 Participants

18
19 All public hospitals providing secondary care services are included (N=6). The hospitals' names are
20 concealed to protect their identity given that they represent the entire population of public hospitals
21 that provide secondary care services. For comparative purposes, a compound measure is developed to
22 classify hospitals by size. This measure considers the number of beds and outpatient visits. The
23 hospitals were ranked as small (n=2), medium (n=2), and large (n=2); Small hospitals have less than 400
24 beds and report less than 150,000 outpatient visits whereas large hospitals have 800+ beds and report
25 250,000+ outpatient visits.
26
27
28
29
30
31
32
33
34
35

36 37 Analysis

38
39 A basic descriptive analysis is performed on the numerical surveyor-reported scores. Across the two
40 accreditation cycles and for each criterion along with its sub-parts, the differences in surveyors' scores
41 were calculated. The surveyor scores are considered for calculations because the scores represent an
42 evaluation by external experts and are based on evidence supplied by the hospital. Investigating the
43 surveyor team scores is more reliable since scores are evidence-based as explained earlier. The
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3
4
5
6
7
8
9 qualitative data formed by the surveyors' comments are used to support the evidence and justify the
10 results. The Framework method (Gale et al., 2013) is used to analyze this qualitative data. The analysis
11 was iterative, and the data were sorted, summarized, and synthesized in key themes according to the
12 Information Management criteria.
13
14
15
16
17
18

19 4. Results

20 Information Management Practices

21
22 For an overview of hospitals' performance in each criterion of the Information Management standard
23 spanning the two accreditation cycles, refer to 2. To protect the anonymity of hospitals, the size
24 information cannot be disclosed. Interestingly, the results indicate no meaningful patterns related to
25 the hospital's size or even the scope of services it provides. Overall, public hospitals in Kuwait are
26 making positive progress in their information management practices over the span of accreditation
27 cycles. Notably, criterion 1.0 and 3.0 are the least to witness big improvements over the two
28 accreditation cycles. These two criteria refer to establishing and implementing an information
29 management plan, instituting policies for data privacy and security. The accessibility to the World
30 Wide Web by the clinical staff to obtain information that supports safe patient care is the one criterion
31 that improved significantly. With respect to contributing data to external databases in accordance with
32 laws or regulations, the majority of hospitals did exceptionally well and have either maintained their
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3
4
5
6
7
8
9 high-level of compliance or improved it; Only H6² remained partially compliant. To illustrate the
10 magnitude of change across the two cycles for each hospital, refer to Figure 1. The following is a brief
11 review of the findings related to each criterion across hospitals.
12
13
14

15 [insert Table 2]

16 [insert Figure 1]

17
18
19
20 *Information management plan* – The majority of hospitals struggle to develop and implement an
21 information management plan to meet their information needs. H1 and H4 have a deteriorating rate of
22 improvement in complying with this criterion. Only H5 has substantial compliance in this regard. One
23 issue is the need to engage all the relevant departments in developing this plan. One survey team
24 suggests that the “information management plan needs to be developed in collaboration with other
25 clinical and professional departments” – (s4).³ There is also a need to “integrate the information
26 management with clinical and administrative services” – (s2). Another survey team notes that
27 “comprehensive plans, policies and protocols need to be written down, and communicated to staff and
28 later monitored” – (s3). The data also indicates that some hospitals need to improve and increase the
29 availability of training about information management to all staff members, both clinical and non-
30 clinical staff; “The team is encouraged to develop comprehensive schedule for education and training
31 in information management” – (s6).
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46

47
48 ² H refers to hospital followed by the number assigned to it in this study.

49 ³ Indicates a representative quote from the survey team comments.
50
51
52
53
54
55
56
57
58
59
60

1
2
3
4
5
6
7
8
9 *Technology selection* – Only two hospitals, H4 and H5, involve the appropriate clinical, managerial, and
10 information technology staff in the selection and integration of health IT systems and solutions for the
11 hospital. While the remaining hospitals show improvements in compliance with this criterion, H1
12 regressed. Additionally, H6 shows improvement in compliance, however, partially. The survey teams
13 encourage to “involve the departments appropriately in the selection of information technology” –
14 (s2).
15
16
17
18
19
20
21

22 *Data privacy and security* – The majority of hospitals excel in protecting the privacy and security of the
23 information. Only H6 remains at a medium compliance with this criterion. Interestingly, H2 and H5
24 show declining rates of improvement in this matter. Some of the issues noted by the survey team
25 include the lack of policies that restrict unauthorized access to patients’ records; “Develop and
26 implement a policy to ensure a restricted access for authorized staff to medical records” – (s6).
27 Additionally, the data about some hospitals indicates the absence of a back-up system for patient
28 records, whether paper or electronic. The survey teams suggest the “establishment of a back-up data
29 system” – (s2). Surveyors also advise that clients’ trust in the hospital’s ability to protect information is
30 critical; “To gain the trust of the hospital client, hospital should improve medical record
31 management.” – (s4).
32
33
34
35
36
37
38
39
40
41
42
43
44

45 *Information transfer* – In this criterion, all hospitals improved their processes related to transmitting
46 data effectively and efficiently. Only H3, H4, and H5 have functioning EHRs and hence their high
47 levels of compliance with this criterion as noted by the surveyors. The lack of electronic systems such
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3
4
5
6
7
8
9 as EHRs, laboratory information systems, and radiology information systems, contribute to lower
10 levels of efficiency and sometimes ineffective information transfers; “Lack of the electronic medical file
11 system or Hospital Information System is a challenge to share information” – (s6).
12
13
14
15
16
17

18 *Aggregating information* – Two thirds of hospitals (n=4) show improvements in compliance with this
19 criterion, which in turn is concerned with aggregating information and data to support patient care,
20 administrative decision making and quality improvement initiatives. However, H1 showed a decline
21 in compliance while H6 shows no improvement and remains partially complaint. This is largely
22 attributed to the lack of electronic informatics solutions; “No comprehensive computerized hospital
23 wide system yet” – (s2). Survey teams suggest that “electronic data management need to be
24 implemented to improve acquisition of data” – (s4)
25
26
27
28
29
30
31
32

33 *Analytics for decision-making* – For this criterion, nearly all hospitals improved their compliance
34 attainment. However, for H1, the compliance dropped to a low level of compliance (from up to 75% to
35 up to 25%). One survey team indicates that the “data collected is not fully utilized towards generating
36 more reports to improve decision-making by administration” – (s3).
37
38
39
40
41
42

43 *Information exchange* – All hospitals show improvement with respect to contributing data and
44 information to serve the various statistical reports generated by MoH as well as external databases in
45 accordance with laws or regulations. Only H6 remains in medium compliance with this criterion. One
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3
4
5
6
7
8
9 survey team suggests that an integrated informatics solution across the hospital can “help improve
10 efficiency and communication” – (s5).

11
12
13
14
15
16 *Access to Internet* – All hospitals indicate improvements with providing access for staff to obtain
17 information that can support safe patient care. Only H5 is substantially compliant with this criterion.
18 The remaining hospitals report minor to medium compliance. One survey team indicate issues with
19 monitoring and enforcing appropriate use policies for the Internet; “We recommend compliance and
20 monitoring Internet use policy” – (s1). Another team suggests that access to the Internet should be also
21 made available to patients; “To provide Internet to staff and clients” – (s1).

22
23
24
25
26
27
28
29 *Quality and safety performance indicators* – The evidence suggests that all hospitals identify the required
30 indicators of performance for quality in their information management efforts and monitor them as
31 part of their quality improvement activities. Only H3 and H5 are substantially compliant, while H6
32 remains in minor compliance with the criterion.

33
34
35
36
37
38 *Other issues* – Survey teams report several other challenges that are relevant to information
39 management. The diversity of the languages spoken by the hospital’s staff can be a barrier to the
40 effective implementation of information management; “Challenges: There are language barriers,
41 especially for information management, human resources pose challenges” – (s6). The evidence also
42 suggests misalignment between strategic and operational plans, which in turn can negatively impact
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3
4
5
6
7
8
9 information management; “Area for Improvement: The linkage between strategic and operational
10 plans among the senior leaders and staff” – (s3).
11
12
13

14 5. Discussion

15
16
17
18 The results from this study indicate an overall positive improvement in compliance with the
19 Information Management standard by hospitals providing secondary care services. This improvement
20 could be the result of becoming more aware of the standard and the attempts by hospitals to attain
21 higher levels of compliance (Devkaran and O’Farrell, 2014).
22
23
24
25

26
27 The effectiveness of information management practices is dependent on formulating, communicating,
28 and adhering to a clear strategic plan. The evidence suggests that hospitals without a clear or
29 comprehensive information management plans, which are inclusive of all the stakeholders, are not
30 able to attain the desired levels of compliance with the information management standard. This shows
31 the grand importance of having a comprehensive information management plan that aligns with
32 existing national strategies.
33
34
35
36
37
38
39

40
41 Currently, in Kuwaiti public hospitals, there is no designated leadership position responsible for
42 information management practices across the hospital. While the information systems/technology
43 vendors or departments at hospitals often assume this function, they remain mainly focused on
44 supporting the technology infrastructure. In turn, this creates a huge gap in supporting safe patient-
45 centered care via good health information management (Snyder et al., 2011).
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3
4
5
6
7
8
9 Additionally, the results indicate that some hospitals need to improve the availability and accessibility
10 to information management training to all staff members. Without properly investing in training the
11 staff on the important aspects of information management practices as well as the proper use of
12 technology tools/systems, hospitals will not reap the benefits and their information management
13 efforts will likely be wasted or at best under-utilized (McAlearney et al., 2012). Ongoing professional
14 training and mentorship should also be available to the professionals working in the medical records
15 department (Bates et al., 2014).

16 Preserving the security and confidentiality of data and information is a primary concern for hospitals
17 globally. With rising rates of adopting health informatics solutions, cybersecurity has been a major
18 topic of interest (Kuo et al., 2014; Perakslis, 2014). The evidence points that hospitals have improved
19 their security practices related to information management, however, it is concerning that hospitals are
20 still facing issues with unauthorized access to patients' physical records. Adopting EHRs with the
21 appropriate privacy and security mechanisms in place can be an effective solution (Fernández-Alemán
22 et al., 2013).

23 As highlighted from the surveyors' comments, organizations who adopt and deploy integrated
24 informatics solutions, such as EHRs, have better scores compared with their peers who do not.
25 However, the current levels of adoption and maturity of health informatics solutions in Kuwait are
26 limited (Weber et al., 2017). While some hospitals have some electronic solutions such as EHRs or
27 laboratory information system, these solutions are operating in a silo and do not interface with other
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3
4
5
6
7
8
9 systems in or outside the hospital. Hospitals should adopt, implement, and maintain integrated health
10 informatics solutions to support the various functions within the hospital as well as outside of the
11 hospital and across the nation.
12
13
14
15

16 17 **Towards More Digitally-Mature Healthcare Systems**

18
19
20 With the rapid advances in the adoption of digital health tools and systems, it becomes paramount
21 that healthcare leaders develop and embrace a digitally-enabled health informatics strategy. If not
22 already in place, regulators should spearhead and develop a national strategic digital health and
23 informatics plan that encompasses information management. Throughout its lifecycle, the plan should
24 be inclusive of all relevant stakeholders, including patients and their advocates.
25
26
27
28

29
30
31 Additionally, healthcare institutions should be involved in continuous assessments to uncover their
32 digital health maturity. These assessments will allow the institutions to uncover their strengths,
33 highlight areas for improvement, and aid in prioritizing which issues or areas to focus on. The HIMSS
34 EMRAM evaluation (Pettit, 2013) and the NHS Digital Maturity assessment (Johnston, 2017) are
35 examples of such assessments that can be used.
36
37
38
39
40
41

42 Moreover, clinical informatics leadership roles, i.e. Chief Clinical Informatics Officer, and Chief
43 Nursing Informatics Officer, should be clearly defined and integrated into the organizational structure
44 of the healthcare institution (Kannry et al., 2016). Academic institutions should also prepare to meet
45 the demand for these roles and integrate health information management and informatics training into
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3
4
5
6
7
8
9 the academic curriculum for all health and allied-health disciplines (Cooper, 2009). This will help
10 prepare the future workforce to work with digital health solutions and truly embrace the power that
11 these solutions provide for enhancing healthcare delivery.
12
13
14

15 16 17 **Strength and Limitations**

18
19
20 The evidence uncovered in this study was captured by healthcare professionals with a wealth of
21 experience working at MoH and was performed consistently over two cycles with several years
22 between the cycles. The dataset is rich with both quantitative data (self-reported hospital score and
23 surveyors' score) and qualitative data (comments from survey team). However, some interesting
24 phenomena could not be further explored such as reasons why a hospital declined in a complying
25 with a specific criterion. Also, the dataset does not systematically evaluate the informatics
26 infrastructure and setup at the time of the survey to better understand the information management
27 context and the level of its automation. Rich feedback from the healthcare organizations and their
28 views about information management challenges and opportunities can be valuable. Lastly, the results
29 can be informative for policymakers and hospital administrators in Kuwait when evaluating their
30 information management practices. However, given the similarities between the healthcare system in
31 Kuwait and many of the developed countries, (e.g. many of the Economic Co-operation and
32 Development (OECD) countries), the findings can potentially be applicable. However, careful
33 consideration of the contextual determinants is required before assuming generalizability.
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

6. Conclusion

The socio-economic context and the challenges facing the healthcare system in the State of Kuwait, as well as many developed countries, necessitates careful consideration of information management practices in healthcare institutions. The role of health information management in aiding healthcare reform efforts can no longer be postponed or ignored. Today, digital health solutions that are governed by strong health information management act as the circulatory system of the modern healthcare system 'transporting' the necessary information to the various parts of this system. When the arteries of this system are 'constricted' or 'clogged' with absent, fragmented, inefficient, or isolated information management practices or systems, the consequences are dire! It is time to reform healthcare through strong information management governance powered by informatics.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Acknowledgements

[removed for review].

Funding

This research received no specific grant from any funding agency in the public, commercial, or not-for-profit sectors

Conflict of Interest

The Authors declare that there is no conflict of interest.

For Peer Review

References

- Alarouj M, Bennakhi A, Alnesef Y, et al. (2013) Diabetes and associated cardiovascular risk factors in the State of Kuwait: the first national survey. *International Journal of Clinical Practice* 67(1): 89–96. DOI: 10.1111/ijcp.12064.
- Al-Azmi SF, Mohammed AM and Hanafi MI (2006) Patients' satisfaction with primary health care in Kuwait after electronic medical record implementation. *The Journal of the Egyptian Public Health Association* 81(5–6): 277–300.
- Al-Haifi AR, Al-Fayez MA, Al-Athari BI, et al. (2013) Relative contribution of physical activity, sedentary behaviors, and dietary habits to the prevalence of obesity among Kuwaiti adolescents. *Food and Nutrition Bulletin* 34(1): 6–13. DOI: 10.1177/156482651303400102.
- Alhuwail D and Barnes R (2011) Diabetes care in the age of informatics: Kuwait-Scotland health innovation network. In: *Proceedings of the Second Kuwait Conference on e-Services and e-Systems*, New York, NY, USA, 2011, pp. 16:1–16:7. KCESS '11. ACM. DOI: 10.1145/2107556.2107572.
- Al-Jafar E (2013) Exploring patient satisfaction before and after electronic health record (EHR) implementation: the Kuwait experience. *Perspectives in Health Information Management* 10: 1c.
- Allafi A, Al-Haifi AR, Al-Fayez MA, et al. (2014) Physical activity, sedentary behaviours and dietary habits among Kuwaiti adolescents: gender differences. *Public Health Nutrition* 17(9): 2045–2052. DOI: 10.1017/S1368980013002218.
- Alquraini H, Alhashem AM, Shah MA, et al. (2007) Factors influencing nurses' attitudes towards the use of computerized health information systems in Kuwaiti hospitals. *Journal of Advanced Nursing* 57(4): 375–381. DOI: 10.1111/j.1365-2648.2007.04113.x.

- 1
2
3
4
5
6
7
8
9 Arredondo A and Aviles R (2015) Costs and Epidemiological Changes of Chronic
10 Diseases: Implications and Challenges for Health Systems. *PLoS ONE* 10(3).
11 DOI: 10.1371/journal.pone.0118611.
12
13
14 Awad AI and Alsaleh FM (2015) 10-Year Risk Estimation for Type 2 Diabetes Mellitus
15 and Coronary Heart Disease in Kuwait: A Cross-Sectional Population-Based
16 Study. *PLOS ONE* 10(1): e0116742. DOI: 10.1371/journal.pone.0116742.
17
18
19 Bates M, Black C, Blair F, et al. (2014) Perceptions of health information management
20 educational and practice experiences. *Perspectives in Health Information*
21 *Management* 11: 1d.
22
23
24 Bazeley P (2012) Integrative Analysis Strategies for Mixed Data Sources. *American*
25 *Behavioral Scientist* 56(6): 814–828. DOI: 10.1177/0002764211426330.
26
27
28 Behbehani K (2014) Kuwait National Programme for Healthy Living: First 5-Year
29 Plan (2013-2017). *Medical Principles and Practice* 23(Suppl. 1): 32–42. DOI:
30 10.1159/000358884.
31
32
33 Berwick DM, Nolan TW and Whittington J (2008) The triple aim: care, health, and
34 cost. *Health Affairs* 27(3): 759–769.
35
36
37 Buabbas AJ, Al-Shamali DA, Sharma P, et al. (2016) Users' Perspectives on a Picture
38 Archiving and Communication System (PACS): An In-Depth Study in a
39 Teaching Hospital in Kuwait. *JMIR medical informatics* 4(2): e21. DOI:
40 10.2196/medinform.5703.
41
42
43 Buntin MB, Jain SH and Blumenthal D (2010) Health Information Technology: Laying
44 The Infrastructure For National Health Reform. *Health Affairs* 29(6): 1214–1219.
45 DOI: 10.1377/hlthaff.2010.0503.
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3
4
5
6
7
8
9 Channanath AM, Farran B, Behbehani K, et al. (2013) State of Diabetes, Hypertension,
10 and Comorbidity in Kuwait: Showcasing the Trends as Seen in Native Versus
11 Expatriate Populations. *Diabetes Care* 36(6): e75. DOI: 10.2337/dc12-2451.
12
13

14 Channanath AM, Farran B, Behbehani K, et al. (2015) Association between body mass
15 index and onset of hypertension in men and women with and without
16 diabetes: a cross-sectional study using national health data from the State of
17 Kuwait in the Arabian Peninsula. *BMJ open* 5(6): e007043. DOI:
18 10.1136/bmjopen-2014-007043.
19
20
21

22 Conway NT, Wotayan RA, Alkuzam A, et al. (2014) The Kuwait-Scotland eHealth
23 Innovation Network (KSeHIN): a sustainable approach to quality
24 improvement in healthcare. *Quality in Primary Care* 22(1): 43–51.
25
26

27 Cooper H (2009) Changing Roles of Health Information Managers: An Education
28 Perspective. *Health Information Management: Journal of the Health Information*
29 *Management Association of Australia* 38(3): 38–42. DOI:
30 10.1177/183335830903800306.
31
32

33 de Lusignan S, Khunti K, Belsey J, et al. (2010) A method of identifying and
34 correcting miscoding, misclassification and misdiagnosis in diabetes: a pilot
35 and validation study of routinely collected data. *Diabetic Medicine: A Journal of*
36 *the British Diabetic Association* 27(2): 203–209. DOI: 10.1111/j.1464-
37 5491.2009.02917.x.
38
39
40

41 Devkaran S and O'Farrell PN (2014) The impact of hospital accreditation on clinical
42 documentation compliance: a life cycle explanation using interrupted time
43 series analysis. *BMJ Open* 4(8). DOI: 10.1136/bmjopen-2014-005240.
44
45

46 Fernández-Alemán JL, Señor IC, Lozoya PÁO, et al. (2013) Security and privacy in
47 electronic health records: a systematic literature review. *Journal of Biomedical*
48 *Informatics* 46(3): 541–562. DOI: 10.1016/j.jbi.2012.12.003.
49
50
51
52
53
54
55
56
57
58
59
60

- 1
2
3
4
5
6
7
8
9 Gale NK, Heath G, Cameron E, et al. (2013) Using the framework method for the
10 analysis of qualitative data in multi-disciplinary health research. *BMC Medical*
11 *Research Methodology* 13(1): 117. DOI: 10.1186/1471-2288-13-117.
12
13
14 Greenfield D and Braithwaite J (2009) Developing the evidence base for accreditation
15 of healthcare organisations: a call for transparency and innovation. *Quality &*
16 *Safety in Health Care* 18(3): 162–163. DOI: 10.1136/qshc.2009.032359.
17
18
19 Guetterman TC, Fetters MD and Creswell JW (2015) Integrating Quantitative and
20 Qualitative Results in Health Science Mixed Methods Research Through Joint
21 Displays. *Annals of Family Medicine* 13(6): 554–561. DOI: 10.1370/afm.1865.
22
23
24 Gulseven O (2016) Forecasting Population and Demographic Composition of Kuwait
25 Until 2030. *International Journal of Economics and Financial Issues* 6(4).
26
27
28 Johnston DS (2017) Digital maturity: are we ready to use technology in the NHS?
29 *Future Hospital Journal* 4(3): 189–192. DOI: 10.7861/futurehosp.4-3-189.
30
31
32 Kannry J, Sengstack P, Thyvalikakath TP, et al. (2016) The Chief Clinical Informatics
33 Officer (CCIO): AMIA Task Force Report on CCIO Knowledge, Education, and
34 Skillset Requirements. *Applied Clinical Informatics* 7(1): 143–176. DOI:
35 10.4338/ACI-2015-12-R-0174.
36
37
38 Katoue MG and Ker J (2018) Implementing the medicines reconciliation tool in
39 practice: challenges and opportunities for pharmacists in Kuwait. *Health Policy*
40 122(4): 404–411. DOI: 10.1016/j.healthpol.2017.12.011.
41
42
43 Koppel R, Metlay JP, Cohen A, et al. (2005) Role of computerized physician order
44 entry systems in facilitating medication errors. *JAMA* 293(10): 1197–1203. DOI:
45 10.1001/jama.293.10.1197.
46
47
48 Koru G, Alhuwail D, Topaz M, et al. (2016) Investigating the Challenges and
49 Opportunities in Home Care to Facilitate Effective Information Technology
50
51
52
53
54
55
56
57
58
59
60

1
2
3
4
5
6
7
8
9 Adoption. *Journal of the American Medical Directors Association* 17(1): 53–58.
10 DOI: 10.1016/j.jamda.2015.10.008.
11

12
13 Kuo K-M, Ma C-C and Alexander JW (2014) How do patients respond to violation of
14 their information privacy? *Health Information Management: Journal of the Health*
15 *Information Management Association of Australia* 43(2): 23–33.
16

17
18 Kuwait Ministry of Health (2015) *World Health Survey in Kuwait: Summary Report 2013.*
19 064/2015. Kuwait.
20

21
22 Ladha-Waljee N, McAteer S, Nickerson V, et al. (2014) Using the accreditation
23 journey to achieve global impact: UHN's experience at the Kuwait Cancer
24 Control Center. *Healthcare Quarterly (Toronto, Ont.)* 17(2): 33–37.
25

26
27 McAlearney AS, Robbins J, Kowalczyk N, et al. (2012) The role of cognitive and
28 learning theories in supporting successful EHR system implementation
29 training: a qualitative study. *Medical care research and review: MCRR* 69(3): 294–
30 315. DOI: 10.1177/1077558711436348.
31

32
33 Mokdad AH, Jaber S, Aziz MIA, et al. (2014) The state of health in the Arab world,
34 1990-2010: an analysis of the burden of diseases, injuries, and risk factors.
35 *Lancet (London, England)* 383(9914): 309–320. DOI: 10.1016/S0140-6736(13)62189-
36 3.
37

38
39 Ovretveit J and Gustafson D (2003) Using research to inform quality programmes.
40 *BMJ (Clinical research ed.)* 326(7392): 759–761. DOI: 10.1136/bmj.326.7392.759.
41

42
43 Perakslis ED (2014) Cybersecurity in health care. *The New England Journal of Medicine*
44 371(5): 395–397. DOI: 10.1056/NEJMp1404358.
45

46
47 Pettit L (2013) Understanding EMRAM and how it can be used by policy-makers,
48 hospital CIOs and their IT teams. *World Hospitals and Health Services: The*
49 *Official Journal of the International Hospital Federation* 49(3): 7–9.
50

- 1
2
3
4
5
6
7
8
9 Regional Health Systems Observatory- EMRO (2006) *Health System Profile: Kuwait*.
10 17297e.
11
12
13 Shaltout AA, Wake D, Thanaraj TA, et al. (2017) Incidence of type 1 diabetes has
14 doubled in Kuwaiti children 0-14 years over the last 20 years. *Pediatric Diabetes*
15 18(8): 761–766. DOI: 10.1111/pedi.12480.
16
17
18 Snyder CF, Wu AW, Miller RS, et al. (2011) The role of informatics in promoting
19 patient-centered care. *Cancer Journal (Sudbury, Mass.)* 17(4): 211–218. DOI:
20 10.1097/PPO.0b013e318225ff89.
21
22
23 Tordrup D, Angelis A and Kanavos P (2013) Preferences on policy options for
24 ensuring the financial sustainability of health care services in the future:
25 results of a stakeholder survey. *Applied Health Economics and Health Policy* 11(6):
26 639–652. DOI: 10.1007/s40258-013-0056-7.
27
28
29 Vos T, Abajobir AA, Abate KH, et al. (2017) Global, regional, and national incidence,
30 prevalence, and years lived with disability for 328 diseases and injuries for 195
31 countries, 1990–2016: a systematic analysis for the Global Burden of Disease
32 Study 2016. *The Lancet* 390(10100): 1211–1259. DOI: 10.1016/S0140-
33 6736(17)32154-2.
34
35
36
37 Weber AS, Turjoman R, Shaheen Y, et al. (2017) Systematic thematic review of e-
38 health research in the Gulf Cooperation Council (Arabian Gulf): Bahrain,
39 Kuwait, Oman, Qatar, Saudi Arabia and United Arab Emirates. *Journal of*
40 *Telemedicine and Telecare* 23(4): 452–459. DOI: 10.1177/1357633X16647894.
41
42
43 Weiskopf NG, Hripcsak G, Swaminathan S, et al. (2013) Defining and measuring
44 completeness of electronic health records for secondary use. *Journal of*
45 *Biomedical Informatics* 46(5): 830–836. DOI: 10.1016/j.jbi.2013.06.010.
46
47
48 Williams KS, Shah GH, Leider JP, et al. (2017) Overcoming barriers to experience
49 benefits: A qualitative analysis of electronic health records and health
50
51
52
53
54
55
56
57
58
59
60

1
2
3
4
5
6
7
8
9 information exchange implementation in local health departments. *EGEMS*
10 (*Washington, DC*) 5(1): 18. DOI: 10.5334/egems.216.

11
12
13 Wright A, McCoy AB, Hickman T-TT, et al. (2015) Problem list completeness in
14 electronic health records: a multi-site study and assessment of success factors.
15 *International journal of medical informatics* 84(10): 784–790. DOI:
16 10.1016/j.ijmedinf.2015.06.011.

17
18
19 Younis M, Al-Hajeri M, Celik Y, et al. (2015) Healthcare of aging population of
20 Kuwait. *Ageing International* 40(1): 36–43.

21
22
23 Zeng X, Reynolds R and Sharp M (2009) Redefining the roles of health information
24 management professionals in health information technology. *Perspectives in*
25 *Health Information Management* 6: 1f.
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Appendix 1

For Peer Review




Figure 1: Radar diagram for each hospital with respect to its progress in attaining the criteria in the Information Management standard across the two accreditation cycles.

Table 1: Criteria of the Information Management standard considered in this study.

Criterion Number	Label	Criterion Description*
1.0	<i>Information management plan</i>	Management develops and implements an information management plan to meet the information needs of all hospital services.
2.0	<i>Technology selection</i>	Appropriate clinical, managerial, and information technology staff participate on behalf of the hospital in selecting, integrating, and using information management technology.
3.0	<i>Privacy & security</i>	There are processes to ensure security and confidentiality of data and information.
4.0	<i>Information transfer</i>	There are processes for effectively and efficiently transmitting data.
5.0	<i>Aggregating information</i>	There are processes for aggregating clinical and administrative data.
6.0	<i>Analytics for decision-making</i>	Management uses information to make decisions, strategically plan, and identify and prioritize quality improvement initiatives.
7.0	<i>Information exchange</i>	The hospital contributes to external data bases in accordance with laws or regulations.
8.0	<i>Access to Internet</i>	There is internet access for staff to obtain information which supports safe patient care.
9.0	<i>Quality and safety performance indicators</i>	Indicators of performance for quality and safety are identified for information management and are monitored as part of the quality improvement and safety activities.

* Descriptions are extracted from the Information Management Standard. Refer to Appendix 1.

Table 2: Rate of compliance with Information Management criteria for each hospital between accreditation cycles.

Criterion	H1	H2	H3	H4	H5	H6	Average
(1) Info. Mgmt. Plan							
Cycle 1	3.0	2.3	2.0	2.2	3.8	0.0	2.2
Cycle 2	2.0	3.3	3.0	2.0	4.0	2.7	2.8
% Δ*	-20.0%	20.0%	20.0%	-4.0%	4.0%	54.0%	12.3%
(2) Tech. Selection							
Cycle 1	1.3	1.0	1.7	1.7	4.0	0.0	1.6
Cycle 2	1.0	3.0	3.0	4.0	4.0	2.3	2.9
% Δ*	-6.0%	40.0%	26.0%	46.0%	0.0%	46.0%	25.3%
(3) Privacy & Security							
Cycle 1	3.0	3.5	2.3	2.3	4.0	0.0	2.5
Cycle 2	3.7	3.3	3.3	4.0	3.3	2.3	3.3
% Δ*	14.0%	-4.0%	20.0%	34.0%	-14.0%	46.0%	16.0%
(4) Info. Transfer							
Cycle 1	2.3	3.0	1.7	2.7	4.0	2.0	2.6
Cycle 2	3.7	3.3	3.7	4.0	4.0	3.0	3.6
% Δ*	28.0%	6.0%	40.0%	26.0%	0.0%	20.0%	1.0
(5) Aggregating Info.							
Cycle 1	2.5	1.0	0.5	3.5	4.0	2.0	2.3
Cycle 2	2.0	3.0	3.5	4.0	4.0	2.0	3.1
% Δ*	-10.0%	40.0%	60.0%	10.0%	0.0%	0.0%	16.7%
(6) Analytics							
Cycle 1	3.0	2.0	1.0	3.0	4.0	0.0	2.2
Cycle 2	1.0	4.0	4.0	4.0	4.0	3.0	3.3
% Δ*	-40.0%	40.0%	60.0%	20.0%	0.0%	60.0%	23.3%
(7) Info. Exchange							
Cycle 1	4.0	4.0	3.0	3.0	4.0	3.0	3.5
Cycle 2	4.0	4.0	4.0	4.0	4.0	3.0	3.8
% Δ*	0.0%	0.0%	20.0%	20.0%	0.0%	0.0%	6.7%
(8) Internet Access							
Cycle 1	2	0.5	0	0	4	0	1.1
Cycle 2	2.5	2.5	2.5	3.5	4	2	2.8
% Δ*	10.0%	40.0%	50.0%	70.0%	0.0%	40.0%	35.0%
(9) Quality Indicators							
Cycle 1	3	0	0	3	4	2	2.0
Cycle 2	3	3.5	4	3.5	4	2.5	3.4
% Δ*	0.0%	70.0%	80.0%	10.0%	0.0%	10.0%	28.3%

* The delta reflects the change between the evaluation cycles based on a 5-point scale.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60



Accreditation Standards for Hospitals in Kuwait

INFORMATION MANAGEMENT

Version 5

For Peer Review

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

For Peer Review

© 2015, Ministry of Health, Kuwait



PRINCIPLE FUNCTIONS OF SERVICE

1.0 Management develops and implements an information management plan to meet the information needs of all hospital services.

1.1 Management works with department heads to identify all the necessary data that will be used for decision-making on a regular basis.

Criteria

Organization's Rating

0	1	2	3	4	NA
---	---	---	---	---	----

Surveyor's Rating

0	1	2	3	4	NA
---	---	---	---	---	----

1.2 The information management plan includes:

- a definition of data, information, security, confidentiality and integrity
- a categorization of data available, both manual and electronic
- a description of how confidentiality, security and integrity of the data and information will be maintained
- a description of the various kinds of reports, the frequency of the reports and who will receive them
- a description of the technology and other resources required to implement the plan
- a record and investigation of any adverse event related to information management
- process and procedure for retaining and destroying records and files

Criteria

Organization's Rating

0	1	2	3	4	NA
---	---	---	---	---	----

Surveyor's Rating

0	1	2	3	4	NA
---	---	---	---	---	----

1.3 There is an education/training schedule for decision-makers and other appropriate staff on the principles of data management.

Criteria

Organization's Rating

--	--	--	--	--	--

Surveyor's Rating

0	1	2	3	4	NA
---	---	---	---	---	----

Ratings (PSRA)

<input type="checkbox"/> 0 No Compliance	<input type="checkbox"/> 3 Fully Implemented
<input type="checkbox"/> 1 Developed	<input type="checkbox"/> 4 Monitored
<input type="checkbox"/> 2 Partially Implemented	<input type="checkbox"/> NA Not Applicable

Ratings (Criteria)

<input type="checkbox"/> 0 No Compliance	<input type="checkbox"/> 3 Partial Compliance (51-75%)
<input type="checkbox"/> 1 Partial Compliance (1-25%)	<input type="checkbox"/> 4 Substantial Compliance (≥76%)
<input type="checkbox"/> 2 Partial Compliance (26-50%)	<input type="checkbox"/> NA Not Applicable

1.4 There is a description of the roles and responsibilities of management in relation to implementation and evaluation.

Criteria					
Organization's Rating					
0	1	2	3	4	NA
Surveyor's Rating					
0	1	2	3	4	NA

1.5 There is a process for reviewing and revising the information management plan

Criteria					
Organization's Rating					
0	1	2	3	4	NA
Surveyor's Rating					
0	1	2	3	4	NA

1.6 There are structures and mechanisms to facilitate communication and problem solving related to information management.

Criteria					
Organization's Rating					
0	1	2	3	4	NA
Surveyor's Rating					
0	1	2	3	4	NA

DELIVERY OF SERVICE

2.0 Appropriate clinical, managerial and information technology staff participate on behalf of the hospital in selecting, integrating and using information management technology.

2.1 Criteria are established for the selection of information technology.

Criteria					
Organization's Rating					
0	1	2	3	4	NA
Surveyor's Rating					
0	1	2	3	4	NA

2.2 Integration of information technology with other services is assessed.

Criteria					
Organization's Rating					
0	1	2	3	4	NA
Surveyor's Rating					
0	1	2	3	4	NA

Ratings (PSRA)

- | | |
|--|--|
| <input type="checkbox"/> 0 No Compliance | <input type="checkbox"/> 3 Fully Implemented |
| <input type="checkbox"/> 1 Developed | <input type="checkbox"/> 4 Monitored |
| <input type="checkbox"/> 2 Partially Implemented | <input type="checkbox"/> NA Not Applicable |

Ratings (Criteria)

- | | |
|--|--|
| <input type="checkbox"/> 0 No Compliance | <input type="checkbox"/> 3 Partial Compliance (51-75%) |
| <input type="checkbox"/> 1 Partial Compliance (1-25%) | <input type="checkbox"/> 4 Substantial Compliance (≥76%) |
| <input type="checkbox"/> 2 Partial Compliance (26-50%) | <input type="checkbox"/> NA Not Applicable |

2.3 There is training on how to use information management technology.

Criteria					
Organization's Rating					
0	1	2	3	4	NA
Surveyor's Rating					
0	1	2	3	4	NA

INFORMATION SYSTEMS

3.0 There are processes to ensure security and confidentiality of data and information.

3.1 Security will prevent:

- unauthorized access to data and/or information
- loss of data and/or information
- manipulation of data and/or information
- misuse of equipment
- physical damage of record systems

Criteria					
Organization's Rating					
0	1	2	3	4	NA
Surveyor's Rating					
0	1	2	3	4	NA

3.2 Access to data and information is restricted to authorized staff.

Criteria					
Organization's Rating					
0	1	2	3	4	NA
Surveyor's Rating					
0	1	2	3	4	NA

3.3 The hospital works with the Ministry of Health to ensure it has a planned, documented recovery system in case of computer malfunction.

Criteria					
Organization's Rating					
0	1	2	3	4	NA
Surveyor's Rating					
0	1	2	3	4	NA

Ratings (PSRA)

<input type="checkbox"/> 0 No Compliance	<input type="checkbox"/> 3 Fully Implemented
<input type="checkbox"/> 1 Developed	<input type="checkbox"/> 4 Monitored
<input type="checkbox"/> 2 Partially Implemented	<input type="checkbox"/> NA Not Applicable

Ratings (Criteria)

<input type="checkbox"/> 0 No Compliance	<input type="checkbox"/> 3 Partial Compliance (51-75%)
<input type="checkbox"/> 1 Partial Compliance (1-25%)	<input type="checkbox"/> 4 Substantial Compliance (≥76%)
<input type="checkbox"/> 2 Partial Compliance (26-50%)	<input type="checkbox"/> NA Not Applicable

4.0 There are processes for effectively and efficiently transmitting data.

4.1 Transmission of data and information will allow for:

- timeliness (data is available on time)
- ease of access (data is easy to obtain)
- accuracy and reliability (when data is received, it is accurate and reliable)
- appropriateness of data and information (data is relevant to what is needed)
- confidentiality and security (data is accessible only to those who require it and those who should have it)

Criteria					
Organization's Rating					
0	1	2	3	4	NA
Surveyor's Rating					
0	1	2	3	4	NA

4.2 When keeping data, the hospital must determine whether the data is kept in print or electronic format.

Criteria					
Organization's Rating					
0	1	2	3	4	NA
Surveyor's Rating					
0	1	2	3	4	NA

4.3 Data and information are integrated through:

- acquisition (as data is obtained, it is combined with other necessary data)
- organization (data is arranged to support information needs of the service and other departments)
- retrieval (data is abstracted from larger data bases when required)
- analysis (data from a service can be abstracted from larger data bases and/or compared with data from other services to arrive at conclusions)
- education & reporting (data can be abstracted for training and reporting purposes)

Criteria					
Organization's Rating					
0	1	2	3	4	NA
Surveyor's Rating					
0	1	2	3	4	NA

Ratings (PSRA)

- | | |
|--|--|
| <input type="checkbox"/> 0 No Compliance | <input type="checkbox"/> 3 Fully Implemented |
| <input type="checkbox"/> 1 Developed | <input type="checkbox"/> 4 Monitored |
| <input type="checkbox"/> 2 Partially Implemented | <input type="checkbox"/> NA Not Applicable |

Ratings (Criteria)

- | | |
|--|--|
| <input type="checkbox"/> 0 No Compliance | <input type="checkbox"/> 3 Partial Compliance (51-75%) |
| <input type="checkbox"/> 1 Partial Compliance (1-25%) | <input type="checkbox"/> 4 Substantial Compliance (≥76%) |
| <input type="checkbox"/> 2 Partial Compliance (26-50%) | <input type="checkbox"/> NA Not Applicable |

1
2
3 **5.0 There are processes for aggregating clinical and administrative data.**
4
5

6
7 5.1 Aggregated data supports patient care, administrative decision making
8 and quality improvement.
9

Criteria

Organization's Rating

0 1 2 3 4 NA

Surveyor's Rating

0 1 2 3 4 NA

10
11
12
13
14 5.2 Integrated data is available for comparing and benchmarking against
15 best practices.
16

Criteria

Organization's Rating

0 1 2 3 4 NA

Surveyor's Rating

0 1 2 3 4 NA

17
18
19
20
21
22
23 **QUALITY AND SAFETY**
24

25
26
27
28 **6.0 Management uses information to make decisions, strategically plan,
29 and identify and prioritize quality improvement initiatives.**
30

31
32
33 6.1 Management analyzes the information with the assistance of the quality
34 management (assurance) director or leader.
35

Organization's Rating

2

Surveyor's Rating

0 1 2 3 4 NA

36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54 **Ratings (PSRA)**

0 No Compliance

1 Developed

2 Partially Implemented

3 Fully Implemented

4 Monitored

NA Not Applicable

55 **Ratings (Criteria)**

0 No Compliance

1 Partial Compliance (1-25%)

2 Partial Compliance (26-50%)

3 Partial Compliance (51-75%)

4 Substantial Compliance (≥76%)

NA Not Applicable

7.0 The hospital contributes to external data bases in accordance with laws or regulations.

7.1 The hospital provides data for various statistical reports produced by the Ministry of Health.

Guidelines:

The hospital may provide data for casualty; outpatient department; admissions, discharges and transfers; mortality; surgical; bed utilization; and inpatient discharge summary statistical reports. The hospital may also provide data to the Communicable Disease Control Unit on infectious diseases, and to the Medical Laboratories Administration on number of specimens and tests in each unit.

Criteria

Organization's Rating

0	1	2	3	4	NA
---	---	---	---	---	----

Surveyor's Rating

0	1	2	3	4	NA
---	---	---	---	---	----

8.0 There is internet access for staff to obtain information which supports safe patient care.

8.1 There are guidelines that identify appropriate sources of data and information.

Criteria

Organization's Rating

0	1	2	3	4	NA
---	---	---	---	---	----

Surveyor's Rating

0	1	2	3	4	NA
---	---	---	---	---	----

8.2 There is a policy on acceptable-use policy of data and information sources and compliance with the policy is monitored.

Criteria

Organization's Rating

--	--	--	--	--	--

Surveyor's Rating

0	1	2	3	4	NA
---	---	---	---	---	----

Ratings (PSRA)

- | | |
|--|--|
| <input type="checkbox"/> 0 No Compliance | <input type="checkbox"/> 3 Fully Implemented |
| <input type="checkbox"/> 1 Developed | <input type="checkbox"/> 4 Monitored |
| <input type="checkbox"/> 2 Partially Implemented | <input type="checkbox"/> NA Not Applicable |

Ratings (Criteria)

- | | |
|--|--|
| <input type="checkbox"/> 0 No Compliance | <input type="checkbox"/> 3 Partial Compliance (51-75%) |
| <input type="checkbox"/> 1 Partial Compliance (1-25%) | <input type="checkbox"/> 4 Substantial Compliance (≥76%) |
| <input type="checkbox"/> 2 Partial Compliance (26-50%) | <input type="checkbox"/> NA Not Applicable |

9.0 Indicators of performance for quality are identified for Information Management and are monitored as part of quality improvement activities.

9.1 Indicators of performance are selected and monitored for both hospital-wide and service-based information management activities.

Guidelines:

The set of performance indicators may include number of information security breaches reported. There are different types of security breaches such as confidentiality, integrity, and availability of information.

Criteria					
Organization's Rating					
0	1	2	3	4	NA
Surveyor's Rating					
0	1	2	3	4	NA

9.2 The data to be collected for indicators and methods to be used to collect these data are established.

Criteria					
Organization's Rating					
0	1	2	3	4	NA
Surveyor's Rating					
0	1	2	3	4	NA

10.0 Indicators of performance for safety are identified for Information Management and are monitored as part of safety activities.

10.1 Indicators of performance are selected and monitored for both hospital-wide and service-based information management activities.

Criteria					
Organization's Rating					
0	1	2	3	4	NA
Surveyor's Rating					
0	1	2	3	4	NA

10.2 The data to be collected for indicators and methods to be used to collect these data are established.

Criteria					
Organization's Rating					
Surveyor's Rating					
0	1	2	3	4	NA

Ratings (PSRA)

- | | |
|--|--|
| <input type="checkbox"/> 0 No Compliance | <input type="checkbox"/> 3 Fully Implemented |
| <input type="checkbox"/> 1 Developed | <input type="checkbox"/> 4 Monitored |
| <input type="checkbox"/> 2 Partially Implemented | <input type="checkbox"/> NA Not Applicable |

Ratings (Criteria)

- | | |
|--|--|
| <input type="checkbox"/> 0 No Compliance | <input type="checkbox"/> 3 Partial Compliance (51-75%) |
| <input type="checkbox"/> 1 Partial Compliance (1-25%) | <input type="checkbox"/> 4 Substantial Compliance (≥76%) |
| <input type="checkbox"/> 2 Partial Compliance (26-50%) | <input type="checkbox"/> NA Not Applicable |