

University of Dundee

TeenCovidLife

Huggins, Charlotte F.; Fawns-Ritchie, Chloe; Altschul, Drew M.; Campbell, Archie; Nangle, Clifford; Dawson, Rebecca

Published in:
Wellcome Open Research

DOI:
[10.12688/wellcomeopenres.17252.2](https://doi.org/10.12688/wellcomeopenres.17252.2)

Publication date:
2022

Licence:
CC BY

Document Version
Publisher's PDF, also known as Version of record

[Link to publication in Discovery Research Portal](#)

Citation for published version (APA):

Huggins, C. F., Fawns-Ritchie, C., Altschul, D. M., Campbell, A., Nangle, C., Dawson, R., Edwards, R., Flaig, R., Hartley, L., Levein, C., McCartney, D. L., Sinclair, S. L., Dolan, C., Haughton, D., Mabelis, J., Brown, J., Inchley, J., Smith, D. J., Deary, I. J., ... Porteous, D. J. (2022). TeenCovidLife: A resource to understand the impact of the COVID-19 pandemic on adolescents in Scotland. *Wellcome Open Research*, 6, Article 277. <https://doi.org/10.12688/wellcomeopenres.17252.2>

General rights

Copyright and moral rights for the publications made accessible in Discovery Research Portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.



DATA NOTE

REVISED **TeenCovidLife: a resource to understand the impact of the COVID-19 pandemic on adolescents in Scotland [version 2; peer review: 2 approved]**

Charlotte F Huggins ¹, Chloe Fawns-Ritchie ^{1,2}, Drew M Altschul², Archie Campbell ^{1,3}, Clifford Nangle ³, Rebecca Dawson³, Rachel Edwards^{1,4}, Robin Flaig ³, Louise Hartley ³, Christie Levein¹, Daniel L McCartney¹, Stephanie L Sinclair⁵, Clare Dolan³, Dawn Haughton⁶, Judith Mabelis⁶, Judith Brown⁶, Jo Inchley⁶, Daniel J Smith⁷, Ian J Deary ², Caroline Hayward⁴, Riccardo E Marioni¹, Andrew M McIntosh ⁷, Cathie Sudlow³, David J Porteous ^{1,3}

¹Centre for Genomic and Experimental Medicine, Institute of Genetics and Cancer, University of Edinburgh, Edinburgh, UK

²Department of Psychology, University of Edinburgh, Edinburgh, UK

³Centre for Medical Informatics, Usher Institute, University of Edinburgh, Edinburgh, UK

⁴MRC Human Genetics Unit, Institute of Genetics and Cancer, University of Edinburgh, Edinburgh, UK

⁵Centre for Biomedicines, Self and Society, Usher Institute, University of Edinburgh, Edinburgh, UK

⁶MRC/CSO Social and Public Health Sciences Unit, University of Glasgow, Glasgow, UK

⁷Division of Psychiatry, Royal Edinburgh Hospital, University of Edinburgh, Edinburgh, UK

v2 First published: 18 Oct 2021, 6:277
<https://doi.org/10.12688/wellcomeopenres.17252.1>

Latest published: 24 May 2022, 6:277
<https://doi.org/10.12688/wellcomeopenres.17252.2>

Abstract





TeenCovidLife is part of Generation Scotland's CovidLife projects, a set of longitudinal observational studies designed to assess the psychosocial and health impacts of the COVID-19 pandemic.


TeenCovidLife focused on how adolescents in Scotland were coping during the pandemic. As of September 2021, Generation Scotland had conducted three TeenCovidLife surveys. Participants from previous surveys were invited to participate in the next, meaning the age ranges shifted over time.

TeenCovidLife Survey 1 consists of data from 5,543 young people age 12 to 17, collected from 22 May to 5 July 2020, during the first school closures period in Scotland. TeenCovidLife Survey 2 consists of data from 2,245 young people aged 12 to 18, collected from 18 August to 14 October 2020, when the initial lockdown measures were beginning to ease, and schools reopened in Scotland. TeenCovidLife Survey 3 consists of data from 597 young people age 12 to 19, collected from 12 May to 27 June 2021, a year after the first survey, after the schools returned following the second lockdown in 2021. A total of 316

Open Peer Review

Approval Status  

	1	2
version 2 (revision) 24 May 2022	 view	 view
version 1 18 Oct 2021	  view	

1. **Gemma Sicouri** , University of New South Wales, Sydney, Sydney, Australia

2. **Cerisse Gunasinghe** , King's College London, London, UK

Any reports and responses or comments on the

participants took part in all three surveys.

TeenCovidLife collected data on general health and well-being, as well as topics specific to COVID-19, such as adherence to COVID-19 health guidance, feelings about school closures, and the impact of exam cancellations.

Limited work has examined the impact of the COVID-19 pandemic on young people. TeenCovidLife provides relevant and timely data to assess the impact of the pandemic on young people in Scotland. The dataset is available under authorised access from Generation Scotland; see the Generation Scotland [website](#) for more information.

article can be found at the end of the article.

Keywords

adolescence, COVID-19, mental health, longitudinal study, observational study, lockdown, well-being



This article is included in the [Generation Scotland gateway](#).

Corresponding author: Charlotte F Huggins (chuggins@ed.ac.uk)

Author roles: **Huggins CF:** Data Curation, Formal Analysis, Investigation, Methodology, Validation, Visualization, Writing – Original Draft Preparation, Writing – Review & Editing; **Fawns-Ritchie C:** Conceptualization, Formal Analysis, Investigation, Methodology, Writing – Review & Editing; **Altschul DM:** Methodology; **Campbell A:** Conceptualization, Data Curation, Formal Analysis, Investigation, Methodology, Project Administration, Supervision, Writing – Review & Editing; **Nangle C:** Conceptualization, Data Curation, Investigation, Methodology, Project Administration, Writing – Review & Editing; **Dawson R:** Conceptualization, Investigation, Project Administration; **Edwards R:** Conceptualization, Investigation, Methodology, Project Administration, Writing – Review & Editing; **Flaig R:** Conceptualization, Project Administration, Supervision, Writing – Review & Editing; **Hartley L:** Conceptualization, Methodology, Project Administration, Supervision; **Levein C:** Project Administration; **McCartney DL:** Data Curation, Writing – Review & Editing; **Sinclair SL:** Conceptualization, Investigation, Project Administration; **Dolan C:** Writing – Review & Editing; **Haughton D:** Conceptualization, Investigation, Methodology, Project Administration, Writing – Review & Editing; **Mabelis J:** Conceptualization, Investigation, Methodology, Project Administration, Writing – Review & Editing; **Brown J:** Conceptualization, Investigation, Methodology, Project Administration, Writing – Review & Editing; **Inchley J:** Conceptualization, Investigation, Methodology, Project Administration, Writing – Review & Editing; **Smith DJ:** Conceptualization, Investigation, Methodology, Project Administration, Writing – Review & Editing; **Deary IJ:** Conceptualization, Funding Acquisition, Supervision; **Hayward C:** Conceptualization, Funding Acquisition, Supervision; **Marioni RE:** Writing – Review & Editing; **McIntosh AM:** Conceptualization, Funding Acquisition, Supervision; **Sudlow C:** Conceptualization, Funding Acquisition; **Porteous DJ:** Conceptualization, Funding Acquisition, Methodology, Project Administration, Supervision, Writing – Review & Editing

Competing interests: No competing interests were disclosed.

Grant information: This work was supported by Wellcome (216767); the Chief Scientist Office, Scottish Government Health and Social Care Directorate (CZD/16/6; SPHSU16); the Scottish Funding Council (HR03006); the MRC Mental Health Data Pathfinder (MC_PC_17217, to DS); the Medical Research Council (MC_UU_00022/1, to CH); the MRC Human Genetics Unit (U.MC_UU_00007/10, to CH).
The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

Copyright: © 2022 Huggins CF *et al.* This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

How to cite this article: Huggins CF, Fawns-Ritchie C, Altschul DM *et al.* **TeenCovidLife: a resource to understand the impact of the COVID-19 pandemic on adolescents in Scotland [version 2; peer review: 2 approved]** Wellcome Open Research 2022, 6:277 <https://doi.org/10.12688/wellcomeopenres.17252.2>

First published: 18 Oct 2021, 6:277 <https://doi.org/10.12688/wellcomeopenres.17252.1>

REVISED Amendments from Version 1

Combined descriptive tables into one table, including population data as a point of comparison where available. Two small sentences citing additional evidence for the mental health impact of the pandemic on young people, and how this compares to the TCL resource. A sentence clarifying the purpose of the paper has also been added to the introduction.

Any further responses from the reviewers can be found at the end of the article

Introduction

The coronavirus disease 2019 (COVID-19) pandemic has affected the lives of people of all ages across the world. In the UK there have now been two national lockdowns, in which schools and workplaces were closed and non-essential travel was stopped. Moreover, the general population has been asked to make ongoing changes to their lifestyle to minimise the risk of contracting and transmitting the disease. This upheaval to everyday life may have long-term socioeconomic and psychological effects, necessitating careful documentation and study¹.

This paper describes the TeenCovidLife dataset, a dataset collected by Generation Scotland on the health and well-being of adolescents in Scotland. This dataset is available through authorised access in the UK and abroad for use in research. More details on the Generation Scotland access procedure can be found on the Generation Scotland [website](#).

Generation Scotland is a long-running family and population-based health study. Since 2006, Generation Scotland has been gathering data and collaborating with researchers to produce high-quality health research across many fields². Moreover, longitudinal population studies such as Generation Scotland are particularly well-positioned to study the COVID-19 pandemic³. This led to the formulation of the CovidLife project, studying the impact of COVID-19 on over 18,000 adults in the UK⁴.

Findings from the CovidLife and other longitudinal population studies revealed that young adults showed elevated risks of depression and anxiety during the pandemic⁵. A meta-analysis of the prevalence of depression and anxiety among young people throughout the pandemic indicates that prevalence has increased and remains high⁶. Likewise, Chinese adolescents during the early stages of the pandemic showed higher than usual levels of depression and anxiety⁷. This suggests young people's mental well-being may be negatively impacted by the pandemic. Despite this, there is still little cohort research capturing adolescent's direct experiences of the COVID-19 pandemic.

The TeenCovidLife project was designed to address this important gap in the research literature. In this series of three surveys, over 7,000 young people age 12 to 19, living in Scotland, completed questionnaires about their experiences, feelings, and well-being during the COVID-19 pandemic. This complements existing work such as the Co-SPACE stream of resources⁸ by capturing the experiences of young people in Scotland in particular, using multiple measures to capture resilience and general well-being.

The first survey was conducted from May to July 2020, during the first pandemic-related school closures in Scotland. The second survey was conducted from August to October 2020, when lockdown measures were being relaxed and schools reopened. The third survey was conducted approximately one year after the first, from May to June 2021, when most schools had reopened after the second national lockdown.

This paper is a data note, and as such is intended to describe the TeenCovidLife data, as well as how it was collected, in order to act as reference for future researchers. Analysis and interpretation of the data and its potential implications for health and policy is beyond the scope of the current paper.

Methods**Materials & Methods**

Questionnaire Development. The TeenCovidLife questionnaires were developed using [Qualtrics](#) survey software, a survey development tool⁹, with versions dated May 2020, August 2020 and May 2021 for each wave of the survey. Data collection was limited to remote online assessments due to the COVID-19 restrictions. However, this also enabled quick data capture, allowing the sampling of psychological and health data at different stages of the pandemic. The online survey was suitable for completion across many devices, including desktop computers, tablets, and smartphones. The surveys were developed and tested by the Generation Scotland team at the University of Edinburgh, in collaboration with the Schools of Health and Wellbeing Improvement Research Network ([SHINE](#)) based at the University of Glasgow.

Given the sensitivity of some of the questions, as well as potential reservations about providing personal information in an online study, none of the questions in the surveys required an answer. Many sensitive questions also had a “prefer not to answer” option. If participants left a question unanswered, they were asked to confirm if they wanted to continue without answering. For data privacy reasons, after moving to the next page of questions, participants were not able to go back and amend their answers. As Qualtrics does not have password-protected accounts, this was to prevent other people in the same household from using the same device to view the participant's responses.

The questions included in all three TeenCovidLife surveys can be seen in the *Extended data*¹⁰. A copy of the Qualtrics survey (.qsf) for any survey can also be requested from the authors.

Measures. TeenCovidLife assessed general well-being and young people's experience of the pandemic. The topics assessed across the three surveys include:

A. Education and employment

- Ability to adapt to home learning
- Worries about studies
- Impact of the cancelled exams
- Satisfaction with 2020 exam grades
- Preference for face-to-face compared to online learning
- Impact on further education and current/future employment

B. COVID-19 knowledge and health behaviours

- Knowledge of COVID-19
- Understanding of, and trust in, health guidance
- Adherence to, and support of, COVID-19 health guidance
- Vaccine opinions and hesitancy

C. Well-being and mental health

- Loneliness and social support
- Well-being and life satisfaction
- Worry about COVID-19 and impact on future
- Sleep quality and social media use

Measures were selected to harmonise both with other studies and work by the Wellcome Longitudinal Population Studies secretariat, as well as on-going Generation Scotland and SHINE work, including the Health Behaviour in School-Aged Children (HBSC) study¹¹ and the SHINE online pupil mental health survey. Using similar items to other studies enables replication and further collaboration with other population health studies. Novel questions were also created to assess responses specific to COVID-19, as few well-validated measures about COVID-19 existed at the time.

Some questions only appeared in one survey. If a participant had taken part in previous surveys, not all questions were asked again as some items were judged as unlikely to have changed between surveys.

Several commonly used psychological measures were presented in all three surveys:

- The Adolescent Sleep-Wake Scale (ASWS)¹², a ten-item measure assessing sleep quality and disturbances in adolescents.
- Brief Resilience Scale (BRS)¹³, a short measure assessing trait resilience – the ability to “bounce back” from setbacks and distress.
- Perceived Stress Scale (PSS-4)¹⁴, a four-item measure assessing current stress.
- World Health Organisation Well-Being Index (WHO-5)¹⁵, a five-item measure assessing overall wellbeing.

Several subscales of the Social Emotional Health Survey (SEHS)¹⁶ were also applied, assessing the level of social support from family members, friends, and school staff, as well as optimism and self-efficacy. See [Table 1](#) for further details of measures used in all surveys, as well as the *Extended data*¹⁰ for full questionnaires.

Sample

TeenCovidLife Survey 1. Anyone who was aged 12 to 17 and resident in Scotland was able to take part in the study. As this was an online survey, internet access was required to participate. The questionnaire could be accessed using any device, including a tablet or smartphone. Data collection commenced

on Friday 22nd May 2020 and closed Sunday 5th July 2020, during the first coronavirus-related school closure period in Scotland, which lasted from 23rd March to 11th August 2020. The recruitment period lasted a total of 44 days.

After participants began the survey, they had seven days to complete it. The final sample consisted of 5,543 young people age 12 to 17. [Figure 1](#) shows the number of participants included in the final sample for Survey 1 by the day they began the survey.

TeenCovidLife survey 2. All participants in TeenCovidLife Survey 1 with a working email, who consented to re-contact were sent an email invite. This included any participants who may have turned 18 since the first questionnaire. As such, the potential age range for returning participants was 12 to 18. However, a separate Qualtrics survey was set up for any participants who had not taken part in TeenCovidLife Survey 1. These participants needed to be age 12 to 17 and living in Scotland. The ‘New’ and ‘Repeat’ versions of the surveys only differed in that some items (such as sex) were not asked again to previous participants. The full questionnaires can be seen in the *Extended data*¹⁰. As before, internet access was required to take part.

Data collection took place from Tuesday 18th August 2020 to Saturday 10th October 2020, closely following the initial re-opening of schools on the 11th of August. The recruitment period lasted 54 days. After participants began the survey, they had 14 days to complete it.

The final sample consisted of 2,232 young people age 12 to 18. Of this sample, 761 had taken part in TeenCovidLife Survey 1. See [Figure 2](#) for the numbers included in the final sample for Survey 2 by the day they began the survey, as well as when reminder emails were sent to previous participants.

TeenCovidLife Survey 3. All participants who took part in either previous TeenCovidLife surveys and gave permission for re-contact along with a working email address were invited to take part. Some returning participants may have turned 18 or 19 since the first survey. Consequently, the returning sample ranged between ages 12 to 19.

As before, young people age 12 to 17 living in Scotland who had not taken part in a previous survey were also able to take part. As in Survey 2, two Qualtrics surveys were created for new and repeat participants. These only differed in that some items, such as sex, were not asked again to repeat participants. Both questionnaires for Survey 3 can be seen in the *Extended data*¹⁰.

Data collection began Tuesday 12th May 2021 and ran until Sunday 27th June 2021. Data collection took place when students were returning to school after another period of school closures. The end-date for data collection was chosen as this was when most schools in Scotland closed for the summer holidays. The recruitment period lasted a total of 46 days. After participants began the survey, they had 14 days to complete it.

The final sample consisted of 597 young people age 12 to 19 years old. Of the full Survey 3 sample, 316 had taken part in both previous surveys. [Figure 3](#) shows the number of participants

Table 1. Details of measures used in the TeenCovidLife surveys.

	Outcome	# Qs	Source	Version	Repeated	Asked to
Demographics						
Age	-	1	-	All	*	All
Sex	-	1	-	All		All
Gender Identity	Whether participant's gender differed from their sex as assigned at birth. If so, collected gender identity information.	2	-	All		All
Ethnic Origin	-	1	-	All		All
Medical Condition	If participant had long-term health condition, such as asthma or diabetes.	1	-	All		All
Carer Status	Indicated household members, if any, the participant had caring responsibilities for	1	-	All		All
Postcode	-	1	-	TCL1	-	All
Autism Status	If participant had a diagnosed Autism Spectrum Condition	1	-	TCL2	-	All
ADHD Status	If participant had diagnosed Attention Deficit Hyperactivity Disorder	1	-	TCL2	-	All
General Education						
Pupil Status	If participant was a secondary school pupil	1	-	All	*	All
School Year	-	1	-	All	*	School Pupils
Feelings on School	How participants felt about school and how pressured they felt by schoolwork.	2	HBSC Scotland ¹¹	All	*	School Pupils
School Location	Where participants were doing school work (e.g., at home or still attending school), and how difficult they found changing to do schoolwork at home	2	-	TCL1	-	School Pupils
School Resources	If participants had an appropriate device and physical space in which to do their schoolwork	2	-	TCL1	-	School Pupils
Plans after school	If participants left school in Spring 2020, and if so what they planned to do afterwards, and if these plans had changed due to Covid-19	3	-	TCL2+3	-	Age 16+
School Bullying	How frequently participant was bullied by other young people	1	-	TCL2+3	-	School Pupils
Impact of Covid-19 on School						
Worry about returning to school	How much participant worried about returning to school after the first national lockdown	1	-	TCL2+3	-	School Pupils
Safety in returning to school	How much participant agreed that it was safe to return to school as the lockdown measures eased	1	-	TCL2+3	-	School Pupils
Looking forward to school	-	1	-	TCL2	-	School Pupils
Missing aspects of school	How much participants missed seeing friends and teachers from school	2	-	TCL2	-	School Pupils
Worry about studies	How much participant worried about their grades and being on track with their studies	2	-	TCL2+3	-	School Pupils

	Outcome	# Qs	Source	Version	Repeated	Asked to
Impact of Covid-19 on School						
Worry about school-based COVID transmission	How much participant was worried that returning to school would increase their own, their family's or their teacher's chance of contracting Covid-19	2	-	TCL2+3	-	School Pupils
Online vs face-to-face schooling	Whether participants preferred remote, online, or hybrid learning, why, and if online or face-to-face schooling was worse.	4	Common Sense Media ¹⁷	TCL3	-	School Pupils
Technology access	Whether participants had access to technology to learn remotely and if they had been issued a device in any national initiatives	2	-	TCL3	-	School Pupils
School challenges	What participant's biggest challenges for schoolwork were over the past year	1	Common Sense Media ¹⁷	TCL3	-	School Pupils
In-School Testing	If participant is taking part in school testing, and motivations for taking part/not taking part	6	-	TCL3	-	School Pupils
Exams						
Exams	How many and what types of exams pupils were expecting to sit in 2020	1	-	TCL1	-	School Pupils
SQA Results	If participant received SQA results in 2020	1	-	TCL2	-	All
Grades Fairness	How fair participants viewed the different methods used to estimate SQA grades	4	-	TCL2	-	Received SQA Results
Grades Changed	If the participant had their initial SQA results changed in August 2020	1	-	TCL2	-	Received SQA Results
Grade Satisfaction	How happy participants felt about their final grades	1	-	TCL2	-	Received SQA Results
Exam Comparison	Extent to which participants feel their grades would have been better or worse had they sat exams in Spring 2020	1	-	TCL2	-	Received SQA Results
SQA Results Worry	How worried participants felt about the impact their SQA results would have on their employment and education in future	2	-	TCL2+3	-	Received SQA Results
Exam Cancellation Worry	How worried participants felt about the impact of exam cancellations on their own and others grades	2	-	TCL3	-	School Year > S3
Employment						
Job Before Lockdown	If participant was employed before the first lockdown in 2020	1	-	All		Age 16+
Changes to employment	If participant had lost job, was furloughed or experienced a pay cut due to Covid-19	1	-	All	*	Employed
Key Worker Status	If participant had been designated a key worker	1	-	All	*	Employed
Job Now	If participant was employed at time of survey	1	-	All	*	Age 16+
Working Hours	-	1	-	TCL1+2	*	Employed
PPE at Work	If participants job required them to have close contact with others, and, if so, how frequently they had appropriate personal protective equipment	2	-	TCL2+3	-	Employed

	Outcome	# Qs	Source	Version	Repeated	Asked to
Household Factors						
Accommodation Type	Type of home the participant lives in	1	-	All		All
Household Size	Number of people participant lives with and who these people were in relation to participant	2	-	All		All
Rooms in House	-	1	-	All		All
High Risk	If anyone in participant's household had received shielding letter	1	-	TCL1	-	All
Leaving Household	How frequently the participant saw people outside of their household, and who these people were in relation to the participant	1	-	TCL1	-	All
Garden	If participant had access to a garden or yard	1	-	TCL1	-	All
Pet	If participant had any pets, and if so what kind.	2	-	TCL1+3	-	All
Impact of Pet	Impact pet had on coping, family and fitness during pandemic	4	Ratschen, Shoesmith ¹⁸	TCL3	-	Pet owners
Parent Key Worker	If participant's parent was designated as a key worker or not	1	-	TCL1	-	All
Parent Work Situation	If parents were working or not, and whether they were working from home	3	-	TCL1	-	All
Digital Access	What digital resources participant had access to (e.g., smartphone, landline, desktop, etc).	1	-	TCL1	-	All
Covid-19 Factors						
Covid-19 Infection	If participant had suspected or confirmed Covid-19 infection	1	-	All	*	All
Household Covid-19 infection	If someone in participant's household had suspected or confirmed Covid-19 infection	1	-	All	*	All
Public Health Threat	Extent to which participants believed Covid-19 constituted a public health threat	1	-	All	*	Age 15+
Covid-19 Knowledge	How knowledgeable participants feels about Covid-19	1	-	TCL1	-	Age 15+
Understanding of Guidance	How easy the participant found understanding health guidance around Covid-19	1	-	TCL1	-	Age 15+
Time Learning about Covid-19	How long the participant felt they spent getting news about Covid-19 each day	1	-	TCL1	-	Age 15+
Impact on Routine	Degree to which Covid-19 impacted participant's routine	1	-	TCL1	-	All
Life Impact	How positively or negatively the Covid-19 pandemic impacted participants' lives	1	-	TCL2+3	-	All
Covid-19 Guidance	How easy participant found Scottish and UK Government guidance to understand	2	-	TCL2+3	-	Age 15+
Trust in Medical Advice	How much participant trusted medical advice from the UK Government, the Scottish Government, and from medical workers	3	-	TCL2	-	Age 15+
Covid-19 Mitigation Behaviours	How frequently participants were washing their hands, wearing face coverings in enclosed spaces and keeping distance from people outside the household	3	-	TCL2+3	-	All

	Outcome	# Qs	Source	Version	Repeated	Asked to
Covid-19 Factors						
Covid-19 Mitigation Motivations	Motivations for maintaining social distancing	1	Oosterhoff, Palmer ¹⁹	TCL3	-	All
Isolation Behaviour	How likely participant would be to self-isolate if they had come into contact with a positive Covid-19 case	1	-	TCL2+3	-	All
Face Covering Support	If participant agrees or disagrees about whether people should wear face coverings in enclosed spaces	1	-	TCL2+3	-	All
Vaccines						
Vaccine Attitudes	How much participants agree or disagree that vaccines were safe, effective and important	3	Wellcome Global Monitor ²⁰	TCL2	-	All
Vaccine Uptake	Degree to which participant thought they would want to be vaccinated, and whether their parent would want them to be vaccinated.	2	Wellcome Trust LPS Questionnaire ²¹	TCL2	-	All
Vaccine Worry	How worried participants were about under 16s not being included on the vaccine roll-out plans	1	-	TCL3	-	All
Mental Health & Well-Being Outcomes						
WHO-5	<i>World Health Organisation 5 – Well-being Index.</i> A measure of global well-being	5	WHO ¹⁵	All	*	All
PSS-4	<i>Perceived Stress Scale 4</i> – measure of self-reported stress.	4	Cohen, Kamarck ¹⁴	All	*	All
BRS	<i>Brief Resilience Scale</i> – measure of resilience and ability to ‘bounce back’	6	Smith, Dalen ¹³	All		All
SEHS	<i>Socio-Emotional Health Survey</i> –measure of social and emotional well-being in children across 5 subscales: Optimism, Self-Efficacy, Family Support, Peer Support, Support at Home and Support at School.	15	Furlong, You ¹⁶	All	~ ¹	All
Good Childhood Index	Measure of general life satisfaction in children across 5 domains: school, the future, friendships, home, family, and life.	6	The Children's Society ²²	All	* ²	All
ASWS	<i>Adolescent Sleep Wake Scale (10 Item)</i> measure of general sleep quality in adolescents.	10	12	All	*	All
Sleep Quality	Sleep quality compared to previous time point, as well as change in bed times.	4	-	TCL1+2	*	All
General Health	Self-perceived general health	1	36-item Short Form Survey ²³	All	*	All
Current Loneliness	Frequency of loneliness over past week	1	-	All	*	All
Pre-Pandemic Loneliness	How lonely participant felt before the first Covid-19 lockdown	1	-	TCL1	-	All
Future Worry	Degree of worry about the future	1	-	All	*	All
Job Worry	Degree of worry about losing job	1	-	All	*	Employed
Hobby Worry	Degree of worry about time for hobbies	1	-	TCL1+2	*	All
Worry Education	Degree of worry participant felt about Covid-19's impact on their exams and education	2	-	TCL1	-	All ³
Worry Work Experience	Degree of worry participant felt about Covid-19's impact on their work experience	1	-	TCL1	-	15+

	Outcome	# Qs	Source	Version	Repeated	Asked to
Mental Health & Well-Being Outcomes						
Worry Family Life	Degree of worry participant felt about arguing with members of their family, or family members arguing with one another	1	-	TCL1	-	All
Worry Contact	Degree of worry participant felt about their ability to see friends and family	2	-	TCL1	-	All
Happiness Comparison	How happy participant felt they were this time last year	1	-	TCL2+3	-	All
Leisure						
Social Media Use	How much time participants felt they spent looking at and using social media compared to previous time point	1	-	All	*	All
New Skills & Hobbies	What hobbies participants had taken up over past year of the pandemic	1	CovidLife ⁴	TCL3		All

Notes.

- in *Source* indicates that question was formulated in-house.

* indicates that question was asked to previous participants again in TCL2 and TCL3.

¹ Not all domains of the SEHSS were repeated. For participants who took part in a previous survey, they were only asked about Optimism and School Support at TCL2 and TCL3. Only mentioned subscales of the SEHSS was used; this is not the full questionnaire.

² Not all domains of the Good Childhood Index were used in TCL2 and TCL3. 'Satisfaction about Home Life' was not included in TCL2+3.

³ Question about education was asked to all, question about exam only asked to participants who were expecting to sit an exam in 2020




Figure 1. Sample of TeenCovidLife Survey 1 by date they started the survey.




Figure 2. Sample of TeenCovidLife Survey 2 by date they started the survey.




Figure 3. Sample of TeenCovidLife Survey 3 by date they started the survey.

by the date they began the survey, as well as when reminder emails were sent to previous participants.

Recruitment

Similar recruitment methods were used for all three surveys.

Generation Scotland

Generation Scotland is a family health study of approximately 24,000 adults living in Scotland aged 18 to 99 years at recruitment from 2006 to 2011³. Participants who had children age 12 to 17 and for whom a working email address was known were sent an email prompting them to invite their children to take part in TeenCovidLife. Postal invitations were also sent to participants who had children in the appropriate age range, but for whom no email address was known.

SHINE network

SHINE is a network of over 500 schools that aims to bring together schools, policymakers, and academic researchers to conduct schools-based health and well-being research, and to support health improvement planning and implementation. Of the 514 schools in the SHINE network, 138 were secondary schools. The SHINE network helped promote the study to member schools, particularly for Survey 1.

Before the launch of Survey 1, the SHINE network announced the TeenCovidLife survey as the headline item in its May 2020 newsletter to all existing SHINE school members. The benefits of participation were outlined to schools, including TeenCovidLife's incorporation of measures from the SHINE mental health survey, additional support from the SHINE team in promoting the study in school, and the offer of a school-level report. Additionally, one of the SHINE schools recorded a promotional video encouraging participation in the TeenCovidLife survey. This video was featured on the SHINE website and Twitter account.

Surveys 2 and 3 were likewise promoted to SHINE schools via the monthly newsletter and Twitter. However, school-level reports were not offered for these subsequent surveys.

General public

In addition to these recruitment routes, all three TeenCovidLife surveys were open to anyone age 12 to 17 living in Scotland. Both mainstream media and social media were used to advertise the study to the general public and encourage participation, as well as University of Edinburgh outreach programmes. Paid social media campaigns were run on Twitter, Instagram, and Facebook, and the surveys were also promoted through public engagement talks hosted by members of Generation Scotland.

Previous participants

In Surveys 2 and 3, participants who had taken part in a previous survey and provided a valid email address were re-contacted and invited to take part. Re-invited participants were sent a personalised link that gave them access to the survey and linked new responses to those from previous surveys.

Procedure

A link to the study was included in emails and postal study invitations. A link to the study was also shared on social media and the Generation Scotland website. On arriving at the TeenCovidLife landing page, participants first read the volunteer information sheet. Participants also answered two questions to check they had read and understood the information sheet. Participants could not proceed to the main consent form until they answered both of these questions correctly. Next, participants completed the online consent form. Participants also gave consent to future re-contact from Generation Scotland. The consent form highlighted that they were not obliged to take part in future studies if they were re-contacted. Consent and information sheet text for each survey are available in the *Extended data*¹⁰.

Results

Full demographic details for each survey, as well as comparison to population estimates, can be seen in [Table 2](#).

TeenCovidLife Survey 1

The data cleaning process is presented in [Figure 4](#). A total of 10,263 participants accessed the survey during the recruitment stage. After data cleaning, 5,543 participants were included in the final sample. Respondents were retained as participants if they had a) completed and agreed to the consent form; b) progressed past the first page of the questionnaire, which contained only basic demographic information; and c) answered at least one of the questions. Two members of the research team conducted the data cleaning separately. Final records were compared, and any inconsistencies were investigated and resolved until both researchers had identified the same records for inclusion.

The time to complete the survey varied, as participants could save their data so far and complete the survey later. The median time taken to complete the survey was 21 minutes, with an interquartile range of 15 minutes.

The sample was predominantly female (63.2%; 3,505), and there were slightly more participants in the 12 – 14 age group (55.5%; 3,074) than the 15 – 17 age group (43.6%; 2,415). [Figure 5](#) shows the number of participants by age and sex.

Over half of the participants (2,933, 52.9%) were from urban areas, 12.5% (694) were from rural areas, and 24.2% (1,341) were from small towns. It is estimated that 17% of Scotland's population lives in rural areas²⁴, indicating that rural participants may be slightly under-represented in this sample. No data was available on rural-urban classification for the remaining 10.4% (575) of participants.

The majority of the sample was white (84.4%, 4,678). This is expected as 2011 census data indicates 96.0% of Scotland identified as white²⁵. Almost half (44.3%; 2,456) came from schools with less than 10% pupils from deprived areas. Deprivation was assessed by examining the percentage of students at the participant's school who lived in the most deprived quintile, based on the 2016 Scottish Index of Multiple Deprivation²⁶.

Table 2. Demographic characteristics of TeenCovidLife Participants.

	Survey 1	Survey 2	Survey 3	Population
Sex (as registered at birth), n (%)				
Male	1,868 (33.7%)	794 (35.4%)	140 (23.5%)	51.4% ³
Female	3,592 (64.8%)	1,404 (62.5%)	448 (75.0%)	48.6% ³
Missing/Prefer not to answer	83 (1.5%)	47 (2.1%)	< 10	--
Gender Identity, n (%)				
Gender differs from sex	137 (2.5%)	64 (2.9%)	22 (3.7%)	--
Male	1,892 (33.4%)	795 (35.4%)	143 (24.0%)	--
Female	3,505 (63.2%)	1,373 (61.2%)	434 (72.7%)	--
Non-Binary or Other	70 (1.3%)	34 (1.5%)	11 (1.8%)	--
Missing/Prefer not to answer	76 (1.4%)	43 (1.9%)	< 10	--
Age, n (%)				
Mean Age (SD)	14.3 (1.5)	14.3 (1.6)	15.64 (1.54)	--
Age 12 – 14	3,074 (55.5%)	1,239 (55.2%)	148 (25.8%)	48.8% ³
Age 15 – 17	2,415 (43.6%)	981 (43.7%)	449 (75.2%)	51.2% ³
Ethnicity, n (%)				
White Scottish	4,135 (74.6%)	1,651 (73.5%)	472 (79.1%)	84.0% ³
White Other	543 (9.8%)	203 (9.0%)	46 (7.7%)	12.1% ³
Non-White Ethnic Minority	290 (5.2%)	151 (6.7%)	32 (5.4%)	7.6% ³
Missing/Prefer not to say	575 (10.4%)	240 (10.7%)	47 (7.9%)	--
Urban Rural Classification, n (%)¹				
Large urban areas	1,062 (19.2%)	774 (34.5%)	194 (32.5%)	30.9% ⁴
Other urban areas	1,871 (33.8%)	267 (11.9%)	137 (22.9%)	38.1% ⁴
Accessible small towns	720 (13.0%)	200 (8.9%)	68 (11.4%)	9.2% ⁴
Remote small towns	621 (11.2%)	165 (7.3%)	66 (11.1%)	3.6% ⁴
Accessible rural areas	586 (10.6%)	629 (28.0%)	69 (11.5%)	12.4% ⁴
Remote rural areas	108 (1.9%)	14 (0.6%)	10 (1.7%)	5.8% ⁴
Missing	575 (10.4%)	--	--	--
Deprivation, n (%)²				
< 10%	2,456 (44.3%)	1,045 (46.5%)	273 (45.7%)	--
10 < 20%	391 (7.1%)	287 (12.8%)	62 (10.4%)	--
20 < 30%	531 (9.6%)	93 (4.1%)	48 (8.0%)	--
30 < 40%	327 (6.2%)	87 (3.9%)	52 (8.7%)	--
40% +	217 (3.9%)	669 (29.8%)	122 (20.4%)	--
Missing	1,621 (29.2%)	--	--	--
Other Factors, n (%)				
Has long-term medical condition	673 (12.1%)	267 (11.9%)	103 (17.3%)	9.7% ³
Acts as a carer to household member	720 (13.0%)	470 (20.9%)	67 (11.2%)	1.1% ³
Has an Autism Spectrum Condition (ASC)	--	80 (3.6%)	22 (3.7%)	1.9% ⁵
Has Attention-Deficit Hyperactivity Disorder (ADHD)	--	58 (2.6%)	11 (1.8%)	--

¹ Based on the Scottish Government Urban-Rural Classification 2016

² Based on percentage of students at participant's school classified as deprived

³ Based on Scottish 2011 Census Data²⁷⁻³⁰

⁴ Based on 2020 Urban Rural classification population estimates³¹

⁵ Based on Scottish Learning Disabilities Observatory estimates³²

-- indicates no data is available.

Participants were from 287 different schools in all 32 local authority areas across Scotland. School data was not available for 10.0% (557) of participants. The local authority area with the highest number of participants was the Scottish Borders, representing 24.0% (1,329) of the sample. All Scottish Borders schools are members of the SHINE network.




Figure 4. TeenCovidLife Survey 1 exclusions.

Table 3 shows summary statistics for the commonly used psychological measures included in the study. Other summary statistics can be seen in the TeenCovidLife Survey 1 General Report³³, available on the Generation Scotland website.

TeenCovidLife Survey 2

During recruitment, 2,997 participants accessed the survey. Of these, 2,245 participants were included in the final dataset. From TeenCovidLife Survey 1, 3,196 previous participants were directly invited to take part. Of Survey 1 participants invited, 24.0% (768) responded and were included in the final sample. Data were cleaned in the same manner as in TeenCovidLife Survey 1. See Figure 6 for exclusions at each stage of the data cleaning.

Over a third (34.2%; 768) of the final sample had taken part in TeenCovidLife Survey 2, with an overall follow-up rate of 13.9% from Survey 1. As some older participants had birthdays between the first and second surveys, TeenCovidLife Survey 2 also includes data from 18-year-old participants.

As in Survey 1, participants could save their responses and return to the study later, meaning the time taken to complete the survey was highly variable. The median time taken to complete the survey was 18 minutes, with an interquartile range of 15 minutes.

As in TeenCovidLife Survey 1, the sample was majority female (62.7%), and there were slightly more participants in the 12 – 14 age group (55.2%) than the 15 – 18 age group (43.8%). Figure 7 shows the sex ratio by age.




Figure 5. Number of TeenCovidLife Survey 1 participants by age and sex.

Table 3. Summary statistics for commonly used psychometric measures in TeenCovidLife Survey 1.

Measure	<i>n</i>	Mean	<i>sd</i>
Adolescent Sleep-Wake Scale (10-item) [ASWS]			
Total	5,180	3.61	1.11
Falling Asleep & Reinitiating Sleep	5,184	4.15	1.34
Returning to Wakefulness	5,191	2.97	1.41
Going to Bed	5,221	3.15	1.37
Brief Resilience Scale [BRS]			
Total	5,292	3.13	0.76
Perceived Stress Scale (4-item) [PSS-4]			
Total	5,230	7.35	3.47
World Health Organisation Well-Being Index [WHO-5]			
Total	5,230	45.73	22.76
Social Emotional Health Survey [SEHS]			
Family Support	4,857	9.73	2.33
Peer Support	4,873	10.00	2.51
School Support	4,679	9.96	2.20
Optimism	4,936	7.94	2.57
Self-Efficacy	4,953	9.13	1.93

Note.

n indicates number of participants who answer every question included in calculated scale

Almost half of the participants (46.1%, 1,029) were from urban areas, with 28.4% (635) from rural areas. As in Survey 1, the majority of the sample was white (82.8%, 1,847), and almost half (46.2%, 1,032) were from schools with 10% or fewer pupils living in deprived areas.

Participants were from 166 different schools across Scotland over 31 local authority areas. School data was not available for 8.3% (186) participants. The most frequent local authority area was Falkirk, accounting for 24.5% (551) of the sample. This may relate to a SHINE school in the Falkirk area that showed a high response rate.

Table 4 shows summary statistics for the commonly used psychological measures included in the study. Other summary statistics can be seen in the TeenCovidLife Survey 2 General Report³⁴, as well as in the Exams Mini Report³⁵. Both are available for free download on the Generation Scotland website.

TeenCovidLife Survey 3

A total of 641 participants accessed the survey during the recruitment stage. Of these, 597 participants completed the survey with a high enough rate of completion to be included in the

final dataset. Data were cleaned in the same manner as in previous surveys. Figure 8 summarises the exclusions at each stage of the data cleaning.

The majority of participants (93.6%; 559) had taken part in at least one previous TeenCovidLife Survey. Figure 9 shows how many Survey 3 participants had taken part in previous TeenCovidLife surveys. Over half (52.9%; 316) had taken part in both Survey 1 and Survey 2., 30.2% (180) had taken part in only Survey 1, and 10.6% (63) had taken part in only Survey 2.

As in previous surveys, participants could save their responses and return to the study at a later date, meaning the time taken to complete the survey was highly variable. The median time taken to complete the survey was 11 minutes, with an interquartile range of seven minutes.

As in the previous surveys, the sample was majority female (72.7%). As some returning participants may have turned 19 since the first survey, the sample included participants up to age 19. The majority of participants were in the 15 – 19 age group (75.2%). Figure 10 shows the number of participants in each age band by sex.

Over half of the participants (55.4%, 331) were from urban areas, with 13.2% (79) from rural areas. As in previous surveys, the majority of the sample was white (86.8%, 518), and almost half (45.7%, 273) were from schools with 10% or fewer pupils living in deprived areas.

Participants were from 146 different schools across 31 local authority areas in Scotland. As in Survey 1, the most frequent local authority area was the Scottish Borders, accounting for 16.1% (96) of the sample.

Table 5 shows summary statistics for the commonly used psychological measures included in the study. As the majority of participants took part in previous surveys, only measures that had been used again in Survey 3 are included here.

Full participation subsample

A subsample of 316 participants took part in all three surveys, indicating a 5.7% complete follow-up rate from Survey 1. Table 6 shows the demographic details of this sample. The subsample was heavily skewed towards female participants, with only 21.2% being male. The majority of participants were white (94.0%; 297), and over half went to school in urban areas (59.8%; 189). The mean age at Survey 1 was 14.94 (SD = 1.48). At Survey 3, this was 15.92 (SD = 1.50).

Strengths and limitations

Strengths

The core strengths of this dataset are that it is timely, rich, and longitudinal – few other cohorts have assessed the impact of the COVID-19 pandemic in such a large sample of adolescents. The COVID-19 pandemic has led to disruptions to long-term education, such as through school closures and cancelled




Figure 6. Flow chart of participants recruited for TeenCovidLife Survey.




Figure 7. Number of TeenCovidLife Survey 2 participants by age and sex.

Table 4. Summary statistics for commonly used psychometric measures in TeenCovidLife Survey 2.

Measure	<i>n</i>	Mean	<i>sd</i>
Adolescent Sleep-Wake Scale (10-item) [ASWS]			
Total	1,956	3.60	1.08
Falling Asleep & Reinitiating Sleep	1,958	4.12	1.34
Returning to Wakefulness	1,958	2.69	1.35
Going to Bed	1,966	3.33	1.31
Brief Resilience Scale [BRS]			
Total	2,149	3.09	.75
Perceived Stress Scale (4-item) [PSS-4]			
Total	2,054	7.46	3.36
World Health Organisation Well-Being Index [WHO-5]			
Total	2,054	47.60	22.90
Social Emotional Health Survey [SEHS]			
Family Support	1,905	9.61	2.36
Peer Support	1,938	9.93	2.58
School Support	1,740	9.88	2.26
Optimism	1,805	7.79	2.68
Self-Efficacy	1,968	9.15	2.05

Note.

n indicates number of participants who answer every question included in calculated scale

exams. These disruptions may have long-term effects on health, well-being and success of young people, warranting study for years to come.

TeenCovidLife was designed in cooperation with the schools-based health behavioural research study SHINE. SHINE also forms part of the wider Health Behaviours in School-Aged Children study^{11,36}. TeenCovidLife uses many of the same measures and questions as in both HBSC studies, as well as SHINE projects such as the SHINE networks pupil mental health and wellbeing survey. This harmonisation facilitates cross-cohort comparisons. Moreover, SHINE's expertise ensured TeenCovidLife asked questions relevant and meaningful to young people.

Finally, the surveys were implemented at key time points – during the first period of school closures in the UK, when schools were beginning to open again and lockdown measures were easing, and finally a year after the first lockdown, following the second national lockdown. This allows researchers to assess the impact of school closures, as well as the long-term effects of the pandemic on young people over time.

Limitations

The study was restricted to those with internet use, due to the need to adhere to COVID-19 mitigation measures. As such, those from rural communities or lower socioeconomic backgrounds with less stable internet access may be under-represented. The sample was also self-selected, meaning more altruistic or conscientious young people may have been more likely to take part.

As can be seen in the demographics, the dataset is not representative of the general adolescent population, with female participants being over-represented. Additionally, over 80% of the participants in all three surveys were white. While 2011 census data indicates Scotland's population is 96.0% white²⁵, making this relatively expected, the low number of ethnic minority participants limits the analyses that can be conducted on ethnicity.

There also seemed to be an over-representation of young people with caring responsibilities. Between 12 to 21% of TeenCovidLife participants cared for a member of their household, while 2011 Scottish census data suggests only 3% of young people age 4 to 24 identify as carers³⁷. This may reflect a misunderstanding of the survey item, particularly if young people were taking more responsibility for younger siblings during the lockdowns, or some bias in the recruitment process. It is also possible that those with caring responsibilities were more likely to be interested in the project.

Furthermore, there were relatively low follow-up rates. Only 5.7% who participated in Survey 1 also took part in Survey 2 and 3. However, although at early stages participants were informed that they may be contacted for future surveys, this was not a defined goal of the study from the outset. Survey 1's recruitment was also considerably larger as schools were mostly closed, with young people's studies relatively disrupted or often suspended. As such, participants had more time to take part. Moreover, the pandemic was an even more salient topic at this early stage. By comparison, Survey 3 was conducted when schools were open and most adolescents were in a very busy school assessment and exam period, and the pandemic had been on-going for over a year, meaning it was relatively less salient.

The impact of the SHINE network's active promotion of TeenCovidLife Survey 1 may have also significantly contributed to the difference in uptake. The SHINE Network Manager, a former Deputy Headteacher, was able to advise schools accordingly to promote a whole school approach to data collection, appropriate during remote learning. While the poor retention remains a limitation, the sub-sample of participants involved at all three waves (*n* = 316) may still be useful for analysis.

Finally, most participants did not fully answer every single question. Due to ethical reasons, participants were permitted to skip questions that they were uncomfortable with or did not wish to answer. Consequently, there is missing data and




Figure 8. Flow chart of participants recruited for TeenCovidLife Survey 3.




Figure 9. Doughnut plot of Survey 3 participants' participation in previous TeenCovidLife surveys.




Figure 10. Number of TeenCovidLife Survey 3 participants by age and sex.

Table 5. Summary statistics for commonly used psychometric measures in TeenCovidLife Survey 3.

Measure	<i>n</i>	Mean	<i>sd</i>
Adolescent Sleep-Wake Scale (10-item) [ASWS]			
Total	493	3.43	1.10
Falling Asleep & Reinitiating Sleep	496	3.94	1.34
Returning to Wakefulness	494	2.49	1.31
Going to Bed	495	3.21	1.41
Perceived Stress Scale (4-item) [PSS-4]			
Total	493	3.43	1.10
World Health Organisation Well-Being Index [WHO-5]			
Total	548	39.57	20.82
Social Emotional Health Survey [SEHS]			
School Support	427	10.02	2.20
Optimism	480	6.97	2.64

Note.

n indicates number of participants who answer every question included in calculated scale

incomplete items; see data dictionaries under *Extended data* for the completion rate for each question.

Ethical considerations

The TeenCovidLife study was reviewed and given a favourable opinion by the East of Scotland Research Ethics Committee (Reference: 20/ES/0021 AM03).

Table 6. Demographic characteristics of TeenCovidLife participants who took part in all three surveys.

Sex as registered at birth, n (%)	
Male	64 (20.2%)
Female	249 (78.8%)
Prefer not to answer/No answer	< 10
Gender Identity, n (%)	
Gender differs from sex	12 (3.8%)
Male	67 (21.2%)
Female	239 (75.6%)
Non-Binary or Other	< 10
Prefer not to answer/No answer	< 10
Ethnicity, n (%)	
White Scottish	271 (85.8%)
White Other	26 (8.2%)
Non-white Ethnic Minority	18 (5.7%)
Prefer not to say/No answer	< 10
Urban Rural Classification, n (%)¹	
Urban areas	189 (59.8%)
Small towns	84 (26.6%)
Rural areas	32 (10.1%)

Deprivation, n (%)²	
< 10%	159 (50.3%)
10 < 20%	31 (9.8%)
20 < 30%	26 (8.2%)
30% +	27 (8.5%)
Missing	73 (23.1%)
Other Factors, n (%)	
Has long-term medical condition	50 (15.8%)
Acts as carer to household member	30 (9.5%)
Has an Autism Spectrum Condition (ASC)	15 (4.7%)
Has Attention-Deficit Hyperactivity Disorder (ADHD)	< 10
Psychological Outcomes, mean (SD)	
Brief Resilience Scale (BRS)	3.12 (.81)
Family Support	9.36 (2.28)
Peer Support	9.54 (2.84)
Self-Efficacy	9.18 (2.06)

¹ Based on the Scottish Government Urban-Rural Classification 2016

² Based on percentage of students at participant's school classified as deprived

Conclusions

The data obtained through the TeenCovidLife project aimed to capture the impact of the COVID-19 pandemic on adolescents in Scotland. Three datasets were collected at three key time points for young people, assessing the emotional impact of both the pandemic and the national lockdowns on health, well-being, and education. A subsample of 316 participants took part in all three waves of data collection, allowing for analysis of change over time. This dataset is a valuable resource for researchers, and is available through the established data access procedure from Generation Scotland.

Data availability

Underlying data

Non-identifiable data from the TeenCovidLife surveys are available to researchers in the UK and internationally through authorised access. Researchers who wish to use the TeenCovidLife data can apply for access using the standard Generation Scotland application process. More information about the process can be found on the Generation Scotland website (www.generationscotland.org).

Extended data

Zenodo: Extended data for “TeenCovidLife: A resource to understand the impact of the Covid-19 pandemic on adolescents in Scotland”, <https://doi.org/10.5281/zenodo.5526056>¹⁰

This project contains the following extended data:

- 2020-09-18 TeenCovidLife Survey1 Data Dictionary.xlsx
- 2020-11-26 TeenCovidLife Survey2 Data Dictionary.xlsx
- 2021-07-26 TeenCovidLife Survey3 Data Dictionary.xlsx
- 2021-09-22 TeenCovidLife 2 VIS and Consent.docx
- 2021-09-22 TeenCovidLife 3 VIS and Consent.docx
- 2021-09-22 TeenCovidLife1 Questionnaire.docx
- 2021-09-22 TeenCovidLife1 VIS and Consent.docx
- 2021-09-22 TeenCovidLife2 Questionnaire NEW PARTICIPANTS.docx
- 2021-09-22 TeenCovidLife2 Questionnaire REPEAT PARTICIPANTS.docx
- 2021-09-22 TeenCovidLife3 Questionnaire NEW.docx
- 2021-09-22 TeenCovidLife3 Questionnaire REPEAT.docx
- 2021-09-22_STROBE_checklist_TeenCovidLife_Data Note_v1.0.docx
- CovidLife_Access_Request_Form_V3.1_March_2021.docx
- Generation_Scotland_Access_Request_Form_V1.2_March_2021.docx

Data are available under the terms of the [Creative Commons Attribution 4.0 International license](https://creativecommons.org/licenses/by/4.0/) (CC-BY 4.0).

Acknowledgements

We thank all the volunteers who took part in the TeenCovidLife study.

TeenCovidLife was conducted in collaboration with the Schools Health and Wellbeing Improvement Research Network (SHINE), at the University of Glasgow.

Generation Scotland received core support from the Chief Scientist Office of the Scottish Government Health Directorates [CZD/16/6] and the Scottish Funding Council [HR03006], and is currently supported by the Wellcome Trust [216767/Z/19/Z]. The SHINE project was previously funded by an MRC

Mental Health Data Pathfinder award (MC_PC_17217) led by Professor Daniel Smith, University of Glasgow, and is currently supported by the Medical Research Council (MC_UU_00022/1) and the Chief Scientist Office (SPHSU16). CH was supported by an MRC Human Genetics Unit programme grant 'Quantitative traits in health and disease' (U.MC_UU_00007/10).

Some of the questions in the TeenCovidLife survey are used with the permission of HBSC Scotland. HBSC Scotland is led by Dr Jo Inchley, University of Glasgow and funded by NHS Scotland (now Public Health Scotland). JI, DH, JB, and JM are supported by the Medical Research Council [MC_UU_00022/1] and the Scottish Government Chief Scientist Office (SPHSU16).

References

- Thomson B: **The COVID-19 Pandemic: A Global Natural Experiment.** *Circulation.* 2020; **142**(1): 14–16.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Smith BH, Campbell A, Linksted P, *et al.*: **Cohort Profile: Generation Scotland: Scottish Family Health Study (GS:SFHS). The study, its participants and their potential for genetic research on health and illness.** *Int J Epidemiol.* 2013; **42**(3): 689–700.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Demakakos P: **Importance of population-based longitudinal studies to understanding the impact of COVID-19.** *J Epidemiol Community Health.* 2021; **75**(9): 815–816.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Fawns-Ritchie C, Altschul DM, Campbell A, *et al.*: **CovidLife: a resource to understand mental health, well-being and behaviour during the COVID-19 pandemic in the UK [version 1; peer review: 1 approved].** *Wellcome Open Res.* 2021; **6**: 176.
[Publisher Full Text](#)
- Kwong ASF, Pearson RM, Adams MJ, *et al.*: **Mental health during the COVID-19 pandemic in two longitudinal UK population cohorts.** *medRxiv.* 2020; 2020.06.16.20133116.
[Publisher Full Text](#)
- Racine N, McArthur BA, Cooke JE, *et al.*: **Global Prevalence of Depressive and Anxiety Symptoms in Children and Adolescents During COVID-19: A Meta-analysis.** *JAMA Pediatr.* 2021; **175**(11): 1142–1150.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Zhou SJ, Zhang LG, Wang LL, *et al.*: **Prevalence and socio-demographic correlates of psychological health problems in Chinese adolescents during the outbreak of COVID-19.** *Eur Child Adolesc Psychiatry.* 2020; **29**(6): 749–758.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Creswell C: **Editorial Perspective: Rapid responses to understand and address children and young people's mental health in the context of COVID-19.** *J Child Psychol Psychiatry.* 2022.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Qualtrics. Provo, Utah, USA. 2020.
- Huggins CF: **Extended data for "TeenCovidLife: A resource to understand the impact of the Covid-19 pandemic on adolescents in Scotland" (1.0) [Data set].** *Zenodo.* 2021.
<http://www.doi.org/10.5281/zenodo.5526056>
- Inchley JMD, Mabelis J, Currie D: **Health Behaviour in School-aged Children (HBSC) 2018 Survey in Scotland: National Report.** 2020.
[Reference Source](#)
- Sufrinko AM, Valrie CR, Lanzo L, *et al.*: **Empirical validation of a short version of the Adolescent Sleep-Wake Scale using a sample of ethnically diverse adolescents from an economically disadvantaged community.** *Sleep Med.* 2015; **16**(10): 1204–1206.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Smith BW, Dalen J, Kathryn W, *et al.*: **The brief resilience scale: Assessing the ability to bounce back.** *Int J Behav Med.* 2008; **15**(3): 194–200.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Cohen S, Kamarck T, Mermelstein R: **Perceived stress scale.** *Measuring stress: A guide for health and social scientists.* 1994; **10**(2): 1–2.
[Reference Source](#)
- WHO: **Wellbeing Measures in Primary Health Care/The Depcare Project.** WHO Regional Office for Europe: Copenhagen. 1998.
[Reference Source](#)
- Furlong MJ, You S, Renshaw TL, *et al.*: **Preliminary development and validation of the social and emotional health survey for secondary school students.** *Soc Indic Res.* 2014; **117**(3): 1011–1032.
[Publisher Full Text](#)
- Wronski L: **Common Sense MediaSurveyMonkey poll: COVID and the return to school.** 2021.
[Reference Source](#)
- Ratschen E, Shoesmith E, Shahab L, *et al.*: **Human-animal relationships and interactions during the Covid-19 lockdown phase in the UK: Investigating links with mental health and loneliness.** *PLoS One.* 2020; **15**(9): e0239397.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Oosterhoff B, Palmer CA, Wilson J, *et al.*: **Adolescents' Motivations to Engage in Social Distancing During the COVID-19 Pandemic: Associations With Mental and Social Health.** *J Adolesc Health.* 2020; **67**(2): 179–185.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Wellcome Trust: **Wellcome Global Monitor: how does the world feel about science and health.** 2019.
[Reference Source](#)
- Wellcome Trust: **The Wellcome Covid-19 Questionnaire.** 2021.
[Reference Source](#)
- The Children's Society: **The Good Childhood Report.** 2019.
[Reference Source](#)
- Ware JE jr, Sherbourne CD: **The MOS 36-item short-form health survey (SF-36). I. Conceptual framework and item selection.** *Med Care.* 1992; **30**(6): 473–83.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Scottish Government: **Rural Scotland Key Facts 2021.** Edinburgh, Scotland. 2021.
[Reference Source](#)
- Scotland's Census: **Scotland's Census: Ethnicity.** 2021; 3 August [cited 2021 20-09-2021].
[Reference Source](#)
- Scottish Government: **Introducing the Scottish Index of Multiple Deprivation 2020.** Scottish Government: Edinburgh, Scotland. 2020.
[Reference Source](#)
- Scotland's Census: **Table DC1175C - Age by sex.** National Records of Scotland. 2011.
- Scotland's Census: **Table LC21015C - Ethnic group by age.** National Records of Scotland. 2011.
- Scotland's Census: **Table LC31035Cdz - Provision of unpaid care by age.** National Records of Scotland. 2011.
- Scotland's Census: **Table DC31065C - Long-term health conditions (1) by sex by age.** National Records of Scotland. 2011.
- Roughsedge E: **Population Estimates by Urban Rural Classification.** National Records of Scotland. 2021.
[Reference Source](#)
- Scottish Learning Disabilities Observatory.** [cited 2022 12-05].
[Reference Source](#)
- Generation Scotland: **TeenCovidLife Survey 1 General Report: Health and wellbeing of young people in lockdown.** 2020.
[Reference Source](#)
- Generation Scotland: **TeenCovidLife Survey 2 - General Report: Health and wellbeing in young people during COVID-19.** 2021.
[Reference Source](#)
- Generation Scotland: **TeenCovidLife Survey 2 - Schooling Mini Report-Cancelled SQA Exams - impact on young people.** 2021.
[Reference Source](#)
- Inchley J, Currie D, Budisavljevic S, *et al.*: **Spotlight on adolescent health and well-being. Findings from the 2017/2018 Health Behaviour in School-aged Children (HBSC) survey in Europe and Canada.** International report, 2020; **1.**
[Reference Source](#)
- Scottish Government: **Young carers: Review of research and data.** 2017.
[Reference Source](#)

Open Peer Review

Current Peer Review Status:  

Version 2

Reviewer Report 08 August 2022

<https://doi.org/10.21956/wellcomeopenres.19834.r51268>

© 2022 Gunasinghe C. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

 **Cerise Gunasinghe** 

Department of Psychological Medicine, Institute of Psychiatry, Psychology and Neuroscience, King's College London, London, UK

This is an invaluable programme of research with important findings which have implications for further research and intervention.

- In the version reviewed, there is a spelling error in the second paragraph, last sentence of the section 'Questionnaire Development'.
- It might be useful to add how the research team might have been able to improve recruitment of underrepresented groups, particularly those from deprived areas as well as racial and ethnic minority young people who are at equal or even higher risk of health inequalities.
- Were parental consent and assent required for those under 16 years, if so, some clarity here might be useful to readers.

Is the rationale for creating the dataset(s) clearly described?

Yes

Are the protocols appropriate and is the work technically sound?

Yes

Are sufficient details of methods and materials provided to allow replication by others?

Yes

Are the datasets clearly presented in a useable and accessible format?

Yes

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Mental Health. Health inequalities. Young people's health and social welfare. Interface with physical health. Health service use.

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Reviewer Report 10 June 2022

<https://doi.org/10.21956/wellcomeopenres.19834.r50718>

© 2022 Sicouri G. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.



Gemma Sicouri 

Black Dog Institute, University of New South Wales, Sydney, Sydney, NSW, Australia

I have reviewed the recent revisions and approve the paper in its current form.

Is the rationale for creating the dataset(s) clearly described?

Yes

Are the protocols appropriate and is the work technically sound?

Yes

Are sufficient details of methods and materials provided to allow replication by others?

Yes

Are the datasets clearly presented in a useable and accessible format?

Yes

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Youth mental health, youth mental health during COVID-19

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Version 1

Reviewer Report 22 March 2022

<https://doi.org/10.21956/wellcomeopenres.19068.r48975>

© 2022 Sicouri G. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.



Gemma Sicouri

¹ Black Dog Institute, University of New South Wales, Sydney, Sydney, NSW, Australia

² Black Dog Institute, University of New South Wales, Sydney, Sydney, NSW, Australia

Thank you for the opportunity to review this paper providing information on three surveys conducted on adolescents during the COVID-19 pandemic in Scotland.

The paper is well written, conceptualised, and the data collection procedures are well described. TeenCovidLife has the potential to be a useful resource for future researchers in tracking youth mental health and wellbeing during the COVID-19 pandemic in Scotland. My comments pertain to improving the overall impact and relevance of the paper. Providing further information on the representativeness of the sample needs to be addressed before recommending it for acceptance without reservations.

1. The rationale for the study in the introduction could be improved and updated with more recent research on adolescent wellbeing during COVID-19. Examples below:
 - (a) The authors reference the parent study to TeenCovidLife as indicating that the pandemic may have particularly affected young people (Fawns-Ritchie *et al.*, 2021). Yet this is a preprint paper and not peer-reviewed. It would be recommended for the authors to reference a published study in addition to this study to support this point (e.g., Racine *et al.*, 2021¹).
 - (b) There have been a number of studies published as part of the Co-SPACE stream of research in the UK. This might provide a nice reference for how the mental health of young people is faring in the UK (<https://www.psy.ox.ac.uk/research/topic-research-group/supporting-parents-adolescents-and-children-during-epidemics>).
 - (c) Given other research, the authors could highlight how this survey captures the experience of adolescents in Scotland in particular, and perhaps focus on measures that were relevant for tracking resilience as well as general wellbeing measures.
2. I am not completely clear on what the primary purpose of the paper is. Was it to describe a resource that collected survey data during the pandemic (and descriptives of that population), or were the authors aiming to analyse and describe the results of the data? It seems that the former is the aim that was fulfilled as there is no discussion on what the results showed (in comparison to each other or the overall pattern of results), in which case this needs to be made clearer in the introduction and aims section.
3. I am wondering if the authors could combine some of the information that they have detailed in individual tables for each survey time point into one table with a column for each time point. This makes it easy to compare across surveys and reduces the number of figures/tables needed. For example, could the demographic characteristics for each of the surveys (T1, T2, T3) be combined into one table with different columns for each time point?

4. It would be recommended for the authors to provide data on the representativeness of the sample obtained. The authors could include a column in the combined table with this information (e.g., % male in this age group) from population studies. This would be very helpful for users of the dataset to understand the representativeness of the sample (rather than some references to aspects of representativeness in the text).
5. Did the authors use any methods for dealing with missing data on individual items in the psychometric measures used in TeenCovidLife? For example, mean imputation? Please detail.
6. Minor point: are the authors confident that the sample was based on living in Scotland? Was there a question pertaining to this? Given the questionnaires were online, it is possible that participants from outside Scotland completed the measures.

References

1. Racine N, McArthur B, Cooke J, Eirich R, et al.: Global Prevalence of Depressive and Anxiety Symptoms in Children and Adolescents During COVID-19. *JAMA Pediatrics*. 2021; **175** (11). [Publisher Full Text](#)

Is the rationale for creating the dataset(s) clearly described?

Partly

Are the protocols appropriate and is the work technically sound?

Yes

Are sufficient details of methods and materials provided to allow replication by others?

Yes

Are the datasets clearly presented in a useable and accessible format?

Partly

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Youth mental health, youth mental health during COVID-19

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard, however I have significant reservations, as outlined above.

Author Response 16 May 2022

Charlotte Huggins

Thank you very much to the reviewer for their kind and detailed response. We have incorporated their feedback and feel this has considerably strengthened the paper. Please find responses to more specific points below.

- *The rationale for the study in the introduction could be improved and updated with more*

recent research on adolescent wellbeing during COVID-19. Examples below:(a) The authors reference the parent study to TeenCovidLife as indicating that the pandemic may have particularly affected young people (Fawns-Ritchie et al., 2021). Yet this is a preprint paper and not peer-reviewed. It would be recommended for the authors to reference a published study in addition to this study to support this point (e.g., Racine et al., 2021).

- **Response:** Thank you for this suggestion. We agree it would strengthen our position to cite a peer-reviewed study outside of the CovidLife family. This citation has been added to the introduction, see line 195 - 197, or below: "A meta-analysis of the prevalence of depression and anxiety among young people throughout the pandemic indicates that prevalence has increased and remains high [6]."
- (b) There have been a number of studies published as part of the Co-SPACE stream of research in the UK. This might provide a nice reference for how the mental health of young people is faring in the UK (<https://www.psy.ox.ac.uk/research/topic-research-group/supporting-parents-adolescents-and-children-during-epidemics>). (c) Given other research, the authors could highlight how this survey captures the experience of adolescents in Scotland in particular, and perhaps focus on measures that were relevant for tracking resilience as well as general wellbeing measures.
- **Response:** Thank you for pointing us towards this valuable resource and for this suggestion, a small line has been added to the introduction, see lines 205 - 208 or below: "This complements existing work such as the Co-SPACE stream of resources [8] by capturing the experiences of young people in Scotland in particular, using multiple measures to capture resilience and general well-being."
- I am not completely clear on what the primary purpose of the paper is. Was it to describe a resource that collected survey data during the pandemic (and descriptives of that population), or were the authors aiming to analyse and describe the results of the data? It seems that the former is the aim that was fulfilled as there is no discussion on what the results showed (in comparison to each other or the overall pattern of results), in which case this needs to be made clearer in the introduction and aims section.
- **Response:** Thank you for your feedback. This paper is intended as a data note, and as such is meant to describe the resource and how the data was collected. No analysis or interpretation of the results is intended here. A sentence stressing the primary purpose of the paper has been added to the introduction section, see lines 215 - 218, as follows: "This paper is a data note, and as such is intended to describe the TeenCovidLife data, as well as how it was collected, in order to act as reference for future researchers. Analysis and interpretation of the data and its potential implications for health and policy is beyond the scope of the current paper."
- I am wondering if the authors could combine some of the information that they have detailed in individual tables for each survey time point into one table with a column for each time point. This makes it easy to compare across surveys and reduces the number of figures/tables needed. For example, could the demographic characteristics for each of the surveys (T1, T2, T3) be combined into one table with different columns for each time point? It would be recommended for the authors to provide data on the representativeness of the sample obtained. The authors could include a column in the combined table with this information (e.g., % male in this age group) from population studies. This would be very

helpful for users of the dataset to understand the representativeness of the sample (rather than some references to aspects of representativeness in the text).

- **Response:** Thank you for this useful feedback. We have collapsed all the tables for each survey timepoint into one table, see Table 2, and included population estimates where data is reasonably available.

- *Did the authors use any methods for dealing with missing data on individual items in the psychometric measures used in TeenCovidLife? For example, mean imputation? Please detail.*
- **Response:** No missing data imputation was conducted, as appropriate ways to handle missing data may vary depending on the purpose of analysis. As such, we concluded that missing data will be left as-is, so researchers may make appropriate decisions for their analysis in future. Sum scores are available only for those with complete psychometric measures.

- *Minor point: are the authors confident that the sample was based on living in Scotland? Was there a question pertaining to this? Given the questionnaires were online, it is possible that participants from outside Scotland completed the measures.*
- **Response:** In the consent, participants confirmed that they were living in Scotland, please see Extended Data.

Competing Interests: No competing interests were disclosed.
